

**Serie | 8, Built-in warming drawer, 14 cm, Stainless steel
BIC630NS1**

A



The multifunctional warming drawer for the 14 cm niche: for pre-heating plates, keeping food warm and low temperature cooking.

- **Push-pull mechanism:** easy opening and closing thanks to a practical spring mechanism.
- **Cleaning convenience:** easy to clean hotplate made of tempered glass.

Technical Data

Built-in / Free-standing :	Built-in
Color / Material Front :	Stainless steel
Maximum number of plates :	12
Maximum number of espresso cups :	64
Dimensions of the product (mm) :	140 x 594 x 548
Dimensions of the packed product (HxWxD) (mm) :	210 x 660 x 660
Required niche size for installation (HxWxD) :	140 x 560 x 550
Power output heating :	0.810
Type of control setting and signalling devices :	Rotary knob
Time control :	No
Electrical connection rating (W) :	810
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Plug type :	Gardy plug w/ earthing
Color / Material Front :	Stainless steel
Approval certificates :	CE, Eurasian, Morocco, Ukraine
Required cutout/niche size for installation (in) :	x x
Appliance Dimensions (h x w x d) (in) :	x x
Dimensions of the packed product (in) :	8.26 x 25.98 x 25.98
Net weight (lbs) :	36
Gross weight (lbs) :	38
Length electrical supply cord (cm) :	150
Required niche size for installation (HxWxD) :	140 x 560 x 550
Dimensions of the product (mm) :	140 x 594 x 548
Dimensions of the packed product (HxWxD) (mm) :	210 x 660 x 660
Net weight (kg) :	16.240
Gross weight (kg) :	17.4

Optional accessories

HEZG9AS00S : Adapter



4 242002 813851

**Serie | 8, Built-in warming drawer, 14 cm,
Stainless steel
BIC630NS1**

**The multifunctional warming drawer for the
14 cm niche: for pre-heating plates, keeping
food warm and low temperature cooking.**

- Cavity volume: 20 l

Type of oven / heating system:

- Heating plate made of toughened glass
- Temperature control in 4 levels: ca. 40 °C - 80 °C (glass surface temperature)

Comfort:

- Loading up to 25 kg
- Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC
- 5 Functions: dough proving thawing of delicate foods keeping drinks and food warm pre-warming of crockery gentle cooking
- cool door
- Opening without handle (push&pull)

Technical Info:

- Length of mains cable: 150 cm
- 0.81 kW
- Appliance dimension (hxwxd): 140 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 140 mm x 560 mm - 568 mm x 550 mm

**Serie | 8, Built-in warming drawer, 14 cm,
Stainless steel
BIC630NS1**

