

Series 6, 177.2 x 55.8 cm, flat hinge GIN81AEF0U



- VariolInverter works by adjusting to the changes in temperatures inside and outside the refrigerator and the load within and provides optimal performance* during voltage fluctuations.
- Vario Zone: more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- NoFrost: never defrost again, thanks to perfect protection from ice formation - that saves time and effort.
- Big Box drawer: for stacking storage containers or for large frozen food items.
- Intelligent Inverter Technology ensures a stable temperature control and efficient performance.

Energy Efficiency Class (Regulation (EU) 2017/1369): F
 Product category: Upright freezer
 Built-in / Free-standing: Built-in
 Frost free system: Fridge and freezer
 Climate class: SN-T
 Door panel options: Not possible
 Width of the appliance: 558 mm
 Depth of the product: 545 mm
 Dimensions of the packed product (HxWxD): ... 1840 x 610 x 640 mm
 Min. required niche size for installation (HxWxD): 1775.0 x 560 x 550 mm
 Warning signal / malfunction: Both visual and audible
 Defrost: Automatic
 Cover door installation system: Fixed-mounted
 Number of drawers/baskets (Stck): 5
 Number of freezing flaps (Stck): 2
 Lockable door: No
 Thermometer freeze section: Digital
 Light: No
 Length electrical supply cord: 230.0 cm
 Door hinge: Left reversible
 Net weight: 64.3 kg
 Gross weight: 69.0 kg
 Multi-Flow Air Tower: No
 Number of compressors: 1
 Number of independent cooling systems: 1
 Economy setting: No
 Fast freezing function: No
 Door bin adjustability - Freezer: No
 Tilt-out door bins in freezer: No
 Number of shelves - Freezer: 0
 Door bin adjustability - Freezer: No
 Shelf Material - Freezer: Safety glass
 Reversible Door Hinge: Yes
 Connection rating: 120 W
 Fuse protection: 10 A
 Frequency: 50 Hz
 Door panel options: Not possible
 Installation typology: Integrated
 Noise level: 36 dB(A) re 1 pW
 Energy Star Qualified: No
 Plug type: GARDY plug w/ earthing
 Required cutout/niche size for installation (in): x
 Dimensions of the packed product: 72.45 x 24.01 x 25.19
 Net weight: 142.000 lbs
 Gross weight: 152.000 lbs
 Included accessories: 2 x cold accumulator, 1 x ice cube tray








4 242005 314515


Series 6, 177.2 x 55.8 cm, flat hinge GIN81AEF0U

- Gross capacity 235 l
- Net Capacity: 211 l
- Energy Efficiency Class: No at a range of energy efficiency classes from A++ to F
- Noise level: 36 dB(A) re 1 pW
- Appliance Dimensions (H x W x D): 177.2 cm x Appliance width: 55.8 cm x 54.5 cm
- Freezer Capacity: 211 l
- Freezing capacity: 20 kg/24 h
- Storage time in power failure: 22 h
- 5 transparent freezer drawers
- Super Freezing: Manual/automatic activation
- Acoustic open door warning system
- No handle
- Door left hinged, reversible
- Gross capacity**** freezer: 235 l (-18°C and below)
- Energy consumption: 243 kWh/yr
- Climate Class: SN-T
- Height adjustable front feet
- Connected load: 120 W
- Nominal voltage: 220 - 240 V

Series 6, 177.2 x 55.8 cm, flat hinge GIN81AEF0U




Maximal permissible weight of the unit fronts



Fitted kitchen unit doors that exceed the permissible weight may cause damage and result in functional impairment of the hinges.

T: Includes height of appliance door	undamped hinge, Door in kg:	damped hinge, Door in kg:
Hinges in mm:		
1500-1750	22	22

measurements in mm
Recommended gap dimensions for flat hinges



F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.