

Serie | 2, Gas range cooker HSG736227I



Included accessories

- 1 x enamel baking tray
- 1 x rotary spit
- 1 x nozzle set for liquid gas
- 1 x cross support for espresso
- 1 x grid

The gas Range Cooker with gas hob: enjoy the benefits of gas when cooking and baking.

- High-quality materials and workmanship – continuous cast-iron pan supports.

Technical Data

Built-in / Free-standing :	Free-standing
Dimensions of the product (mm) :	846 x 898 x 600
Length electrical supply cord (cm) :	190
Net weight (kg) :	73.880
Gross weight (kg) :	84.0
Cooking method :	Gas bottom heating, Gas grill/broiler
Integrated Cleaning system :	Catalytic partial
Included accessories cavity 1 :	
1 x enamel baking tray, 1 x rotary spit, 1 x nozzle set for liquid gas, 1 x cross support for espresso, 1 x grid	
Storage compartment - cavity 1 :	No
Type of pan support :	Elongated cast iron pan support
Broil Element Wattages cavity 1 (W) :	3500
Connection Rating (W) :	100
Current (A) :	16
Voltage (V) :	220-240
Frequency (Hz) :	60; 50
Plug type :	Gardy plug w/ earthing
Energy input :	Gas
Gas type :	Nat gas H/E/(L) 20 (25) mbar
Appliance Dimensions (h x w x d) (in) :	x x
Gross weight (lbs) :	185
Length electrical supply cord (cm) :	190
Dimensions of the product (mm) :	846 x 898 x 600




4 242002 932002

Serie | 2, Gas range cooker HSG736227I


The gas Range Cooker with gas hob: enjoy the benefits of gas when cooking and baking.

- Gas hob
- 1 rapid, 2 standard, 1 economy, 1 wok burner
- Front left: Rapid burner 2.9 KW
- Rear left: Standard burner 1.8 KW
- Center: Wok burner 4 KW
- Rear right: Standard burner 1.8 KW
- Front right: Economy burner 1 KW
- 1 Hand ignition
- Flame failure safety device
- Cast iron continuous pan supports
- Glass cover lid
- Gas oven
- Extra large capacity oven (112 l) with grey enamel
- 3 cooking functions: Rotisserie Gas grill Gas bottom heat
- Rotary spit
- Catalytic side liners
- Shelf support rails
- Oven interior light
- Cut-off timer
- Storage compartment
- Adjustable feet
- Preset for natural gas (20mbar)


Serie | 2, Gas range cooker
HSG736227I




measurements in mm



measurements in mm



measurements in mm



measurements in mm