



**BOSCH**

Register your  
new appliance  
now at MyBosch and  
enjoy benefits free of  
charge:  
[bosch-home.com/  
welcome](https://bosch-home.com/welcome)




# Fridge-freezer combination


**KGN3..**

|             |                     |                            |    |
|-------------|---------------------|----------------------------|----|
| <b>[en]</b> | Information for Use | Fridge-freezer combination | 4  |
| <b>[ar]</b> | دليل المستخدم       | جهاز التبريد والتجميد      | 24 |








1




2




3




4




5




6




7



8



9



10

**You can find additional information and explanations online.  
Scan the QR code on the title page.**



## Table of contents

|                                                              |           |                                                                  |           |
|--------------------------------------------------------------|-----------|------------------------------------------------------------------|-----------|
| <b>1 Safety .....</b>                                        | <b>5</b>  | 7.2 Operating tips .....                                         | 13        |
| 1.1 General information .....                                | 5         | 7.3 Switching off the appliance ....                             | 14        |
| 1.2 Intended use .....                                       | 5         | 7.4 Setting the temperature .....                                | 14        |
| 1.3 Restriction on user group .....                          | 5         | <b>8 Additional functions .....</b>                              | <b>14</b> |
| 1.4 Safe transport .....                                     | 5         | 8.1 Super freezing .....                                         | 14        |
| 1.5 Safe installation .....                                  | 6         | 8.2 Energy-saving mode .....                                     | 15        |
| 1.6 Safe use .....                                           | 7         | <b>9 Alarm .....</b>                                             | <b>15</b> |
| 1.7 Damaged appliance .....                                  | 9         | 9.1 Door alarm .....                                             | 15        |
| <b>2 Preventing material damage ....</b>                     | <b>10</b> | 9.2 Temperature alarm .....                                      | 15        |
| <b>3 Environmental protection and saving energy .....</b>    | <b>10</b> | <b>10 Refrigerator compartment ....</b>                          | <b>15</b> |
| 3.1 Disposing of packaging .....                             | 10        | 10.1 Tips for storing food in the refrigerator compartment ..... | 16        |
| 3.2 Saving energy .....                                      | 10        | 10.2 Chill zones in the refrigerator compartment .....           | 16        |
| <b>4 Installation and connection .....</b>                   | <b>11</b> | <b>11 Freezer compartment .....</b>                              | <b>16</b> |
| 4.1 Scope of delivery .....                                  | 11        | 11.1 Freezing capacity .....                                     | 16        |
| 4.2 Criteria for the installation location .....             | 11        | 11.2 Fully utilising the freezer compartment volume .....        | 16        |
| 4.3 Installing the appliance .....                           | 11        | 11.3 Tips for storing food in the freezer compartment .....      | 17        |
| 4.4 Preparing the appliance for the first time .....         | 11        | 11.4 Tips for freezing fresh food ...                            | 17        |
| 4.5 Connecting the appliance to the electricity supply ..... | 12        | 11.5 Shelf life of frozen food at -18 °C .....                   | 17        |
| <b>5 Familiarising yourself with your appliance .....</b>    | <b>12</b> | 11.6 Defrosting methods for frozen food .....                    | 17        |
| 5.1 Appliance .....                                          | 12        | <b>12 Defrosting .....</b>                                       | <b>18</b> |
| 5.2 Control panel .....                                      | 12        | 12.1 Defrosting in the refrigerator compartment .....            | 18        |
| <b>6 Features .....</b>                                      | <b>12</b> | 12.2 Defrosting in the freezer compartment .....                 | 18        |
| 6.1 Shelf .....                                              | 12        | <b>13 Cleaning and servicing .....</b>                           | <b>18</b> |
| 6.2 Freezer tray .....                                       | 12        | 13.1 Preparing the appliance for cleaning .....                  | 18        |
| 6.3 Fruit and vegetable container .....                      | 13        | 13.2 Cleaning the appliance .....                                | 18        |
| 6.4 Butter and cheese compartment .....                      | 13        | 13.3 Removing the fittings .....                                 | 19        |
| 6.5 Door tray .....                                          | 13        | <b>14 Troubleshooting .....</b>                                  | <b>19</b> |
| 6.6 Accessories .....                                        | 13        |                                                                  |           |
| <b>7 Basic operation .....</b>                               | <b>13</b> |                                                                  |           |
| 7.1 Switching on the appliance ....                          | 13        |                                                                  |           |

|                                                     |           |
|-----------------------------------------------------|-----------|
| 14.1 Power failure .....                            | 22        |
| <b>15 Storage and disposal .....</b>                | <b>23</b> |
| 15.1 Taking the appliance out of<br>operation ..... | 23        |
| 15.2 Disposing of old appliance ...                 | 23        |

|                                                                 |           |
|-----------------------------------------------------------------|-----------|
| <b>16 Customer Service .....</b>                                | <b>23</b> |
| 16.1 Product number (E-Nr.) and<br>production number (FD) ..... | 23        |
| <b>17 Technical data .....</b>                                  | <b>23</b> |



## 1 Safety

Observe the following safety instructions.

### 1.1 General information

- Read this instruction manual carefully.
- Keep the instruction manual and the product information safe for future reference or for the next owner.
- Do not connect the appliance if it has been damaged in transit.

### 1.2 Intended use

Only use this appliance:

- for chilling and freezing food and for making ice cubes.
- in private households and in enclosed spaces in a domestic environment.
- Up to an altitude of 2000 m above sea level.

### 1.3 Restriction on user group

This appliance may be used by children aged 8 or over and by people who have reduced physical, sensory or mental abilities or inadequate experience and/or knowledge, provided that they are supervised or have been instructed on how to use the appliance safely and have understood the resulting dangers.

Do not let children play with the appliance.

Cleaning and user maintenance must not be performed by children unless they are being supervised.

### 1.4 Safe transport

#### **WARNING – Risk of injury!**

The heavy weight of the appliance may result in injury when lifted.

- Do not lift the appliance on your own.

## 1.5 Safe installation

### **WARNING – Risk of electric shock!**

Incorrect installation is dangerous.

- ▶ Connect and operate the appliance only in accordance with the specifications on the rating plate.
- ▶ Connect the appliance to a power supply with alternating current only via a properly installed socket with earthing.
- ▶ The protective conductor system of the domestic electrical installation must be properly installed.
- ▶ Never equip the appliance with an external switching device, e.g. a timer or remote control.
- ▶ When the appliance is installed, the mains plug of the power cord must be freely accessible. If free access is not possible, an isolating switch must be integrated into the permanent electrical installation according to the installation regulations.
- ▶ When installing the appliance, check that the power cable is not trapped or damaged.

If the insulation of the power cord is damaged, this is dangerous.

- ▶ Never let the power cord come into contact with heat sources.

### **WARNING – Risk of explosion!**

If the appliance's ventilation openings are closed off, a leak in the refrigeration circuit may result in a flammable mixture of gas and air.

- ▶ Keep ventilation openings in the appliance casing or in the integrated casing clear of obstruction.

### **WARNING – Risk of fire!**

It is dangerous to use an extended power cord and non-approved adapters.

- ▶ Do not use extension cables or multiple socket strips.
- ▶ Only use adapters and power cords approved by the manufacturer.
- ▶ If the power cord is too short and a longer one is not available, please contact an electrician to have the domestic installation adapted.

Portable multiple socket strips or portable power supply units may overheat and cause a fire.

- ▶ Do not place portable multiple socket strips or power supply units on the back of the appliance.

## **1.6 Safe use**

### **⚠ WARNING – Risk of electric shock!**

An ingress of moisture can cause an electric shock.

- ▶ Only use the appliance in enclosed spaces.
- ▶ Never expose the appliance to intense heat or humidity.
- ▶ Do not use steam- or high-pressure cleaners to clean the appliance.

### **⚠ WARNING – Risk of suffocation!**

Children may put packaging material over their heads or wrap themselves up in it and suffocate.

- ▶ Keep packaging material away from children.
- ▶ Do not let children play with packaging material.

Children may breathe in or swallow small parts, causing them to suffocate.

- ▶ Keep small parts away from children.
- ▶ Do not let children play with small parts.

### **⚠ WARNING – Risk of explosion!**

If the cooling circuit is damaged, flammable refrigerant may escape and explode.

- ▶ To accelerate the defrosting process, do not use any other mechanical devices or means other than those recommended by the manufacturer.
- ▶ If food is stuck to the freezer compartment, loosen it with a blunt object such as the handle of a wooden spoon.

Products which contain flammable propellants and explosive substances may explode, e.g. spray cans.

- ▶ Do not store products which contain flammable propellants (e.g. spray cans) or explosive substances in the appliance.

### **⚠ WARNING – Risk of fire!**

Electrical devices within the appliance may cause a fire, e.g. heaters or electric ice makers.

- ▶ Do not operate electrical devices within the appliance.

**⚠ WARNING – Risk of injury!**

Containers that contain carbonated drinks may burst.

- ▶ Do not store containers that contain carbonated drinks in the freezer compartment.

Injury to the eyes caused by escaping flammable refrigerant and hazardous gases.

- ▶ Do not damage the tubes of the refrigerant circuit or the insulation.

The appliance may tip.

- ▶ Do not stand or support yourself on the base, runners or doors.

**⚠ WARNING – Risk of burns!**

Individual parts on the back of the appliance become hot during operation.

- ▶ Never touch these hot parts.

**⚠ WARNING – Risk of cold burns!**

Contact with frozen food and cold surfaces may cause burns by refrigeration.

- ▶ Never put frozen food straight from the freezer compartment into your mouth.
- ▶ Avoid prolonged contact of the skin with frozen food, ice and surfaces in the freezer compartment.

**⚠ CAUTION – Risk of harm to health!**

To prevent food from being contaminated, you must observe the following instructions.

- ▶ If the door is open for an extended period of time, this may lead to a considerable temperature increase in the compartments of the appliance.
- ▶ Regularly clean the surfaces that may come into contact with food and accessible drain systems.
- ▶ Store raw meat and fish in suitable containers in the refrigerating appliance so that they do not touch or drip on other food.
- ▶ If the fridge/freezer is empty for an extended period of time, switch off the appliance, defrost it, clean it and leave the door open to prevent the formation of mould.

Metal or metal-style parts in the appliance may contain aluminium. If acidic food comes into contact with aluminium in the appliance, aluminium foil ions may pass into the food.

- Do not consume soiled food.

## 1.7 Damaged appliance

### **WARNING – Risk of electric shock!**

If the appliance or the power cord is damaged, this is dangerous.

- Never operate a damaged appliance.
- Never pull on the power cord to unplug the appliance. Always unplug the appliance at the mains.
- If the appliance or the power cord is damaged, immediately unplug the power cord or switch off the fuse in the fuse box.
- Call customer service. → *Page 23*

Improper repairs are dangerous.

- Repairs to the appliance should only be carried out by trained specialist staff.
- Only use genuine spare parts when repairing the appliance.
- If the power cord of this appliance is damaged, it must be replaced by the manufacturer, the manufacturer's Customer Service or a similarly qualified person in order to prevent any risk.

### **WARNING – Risk of fire!**



If the tubes are damaged, flammable refrigerant and harmful gases may escape and ignite.

- Keep naked flames and ignition sources away from the appliance.
- Ventilate the room.
- Switch off the appliance. → *Page 14*
- Unplug the mains plug from the mains or switch off the circuit breaker in the fuse box.
- Call customer service. → *Page 23*

---

## 2 Preventing material damage

### ATTENTION

If not rolling freely, the appliance's castors may damage the floor when the appliance is moved.

- ▶ Transport the appliance using a sack truck.
- ▶ Use floor protection when moving the appliance, and do not move it in a zigzag fashion.

Using the appliance, base, runners or doors as a seat or climbing surface may damage the appliance.

- ▶ Do not stand or lean on the appliance, base, runners or doors.

Contamination with oil or fat may cause plastic parts and door seals to become porous.

- ▶ Keep plastic parts and door seals free of oil and grease.

Metal or metal-style parts in the appliance may contain aluminium. When aluminium comes into contact with acidic foods, it corrodes and discolours.

- ▶ Only store packaged food in the appliance.

If you clean fittings and accessories in the dishwasher, this may cause them to become deformed or discoloured.

- ▶ Never clean fittings and accessory in the dishwasher.

---

## 3 Environmental protection and saving energy

### 3.1 Disposing of packaging

The packaging materials are environmentally compatible and can be recycled.

- ▶ Sort the individual components by type and dispose of them separately.

### 3.2 Saving energy

If you follow these instructions, your appliance will use less power.

#### Selecting the installation location

- Keep the appliance out of direct sunlight.
- Install the appliance as far away as possible from heating elements, cookers and other heat sources:
  - Maintain a 30 mm clearance to electric or gas cookers.
  - Maintain a 300 mm clearance to oil or solid-fuel cookers.
- Make sure there is a small gap between the side wall and the appliance.
- Never cover or block the external ventilation openings.

#### Saving energy during use

**Note:** The arrangement of the fittings does not affect the energy consumption of the appliance.

- Open the appliance only briefly and then close it carefully.
- Never cover or block the interior ventilation openings or the exterior ventilation openings.
- Transport purchased food in a cool bag and place in the appliance quickly.
- Allow warm food and drinks to cool down before storing them.
- Thaw frozen food in the refrigerator compartment to utilise the low temperature of the food.
- Always leave some space between the food and to the back panel.

## 4 Installation and connection

### 4.1 Scope of delivery

After unpacking all parts, check for any transport damage and for completeness of delivery.

If you have any complaints, contact your dealer or our after-sales service → *Page 23*.

The delivery consists of the following:

- Free-standing appliance
- Equipment and accessories <sup>1</sup>
- Installation material
- Installation instructions
- User manual
- Customer service directory
- Warranty enclosure <sup>2</sup>
- Energy label
- Information on energy consumption and noises

### 4.2 Criteria for the installation location

#### **WARNING**

#### **Risk of explosion!**

If the appliance is in a space that is too small, a leak in the refrigeration circuit may result in a flammable mixture of gas and air.

- ▶ Only install the appliance in a space with a volume of at least 1 m<sup>3</sup> per 8 g refrigerant. The volume of refrigerant is indicated on the rating plate.

→ "Appliance", Fig. **1** / **4**  
*Page 12*

The weight of the appliance ex works may be up to 70 kg depending on the model.

The subfloor must be sufficiently stable to bear the weight of the appliance.

The surface must be level.

This refrigerator is intended for use at ambient temperatures of 10 °C to 43 °C.

The appliance is fully functional within the permitted room temperature.

If the appliance is operated at colder room temperatures, the appliance will not be damaged up to a room temperature of 5 °C.

### **Over-and-under and side-by-side installation**

If you want to install 2 refrigerating appliances one over the other or side by side, you must maintain a clearance of at least 150 mm between the appliances. Selected appliances can be installed without a minimum clearance. Ask your dealer or kitchen planner about this.

### 4.3 Installing the appliance

- ▶ Install the appliance in accordance with the enclosed installation instructions.

### 4.4 Preparing the appliance for the first time

1. Remove the informative material.
2. Remove the protective foil and transit bolts, e.g. remove the adhesive strips and carton.
3. Clean the appliance for the first time. → *Page 18*

<sup>1</sup> Depending on the appliance specifications

<sup>2</sup> Not in all countries

## 4.5 Connecting the appliance to the electricity supply

1. Insert the mains plug of the appliance's power cable in a socket nearby.

The connection data of the appliance can be found on the rating plate.

→ "Appliance", Fig. **1** / **4**  
Page 12

2. Check the mains plug is inserted properly.
- ✓ The appliance is now ready for use.

## 5 Familiarising yourself with your appliance

### 5.1 Appliance

You can find an overview of the parts of your appliance here.

→ Fig. **1**

|          |                                                   |
|----------|---------------------------------------------------|
| <b>A</b> | Refrigerator compartment<br>→ Page 15             |
| <b>B</b> | Freezer compartment<br>→ Page 16                  |
| <b>1</b> | Control panel → Page 12                           |
| <b>2</b> | Lighting                                          |
| <b>3</b> | Temperature controller (refrigerator compartment) |
| <b>4</b> | Rating plate → Page 23                            |
| <b>5</b> | Fruit and vegetable container<br>→ Page 13        |
| <b>6</b> | Freezer tray → Page 12                            |
| <b>7</b> | Frozen food container<br>→ Page 19                |
| <b>8</b> | Screw foot                                        |

|           |                                                         |
|-----------|---------------------------------------------------------|
| <b>9</b>  | Butter and cheese compartment<br>→ Page 13 <sup>1</sup> |
| <b>10</b> | Door tray for large bottles<br>→ Page 13                |

### 5.2 Control panel

You can use the control panel to configure all functions of your appliance and to obtain information about the operating status.

→ Fig. **2**

|          |                                                                                      |
|----------|--------------------------------------------------------------------------------------|
| <b>1</b> | °C sets the temperature of the freezer compartment.                                  |
| <b>2</b> | super lights up when Super freezing is switched on.                                  |
| <b>3</b> | Displays the set temperature for the freezer compartment in °C.                      |
| <b>4</b> | eco lights up when the energy-saving mode in the freezer compartment is switched on. |

## 6 Features

The features of your appliance depend on the model.

### 6.1 Shelf

To vary the shelf as required, you can remove the shelf and re-insert it elsewhere.

→ "Removing the shelf", Page 19

### 6.2 Freezer tray

You can freeze smaller quantities of food quickly on the freezer tray, e.g. berries, pieces of fruit, herbs and vegetables.

Distribute the frozen items evenly on the freezer tray and leave to freeze for approx. 10 to 12 hours. Then

<sup>1</sup> Depending on the appliance specifications

place in a freezer bag or a freezer box.

### 6.3 Fruit and vegetable container

Store fresh fruit and vegetables in their packaging in the fruit and vegetable container.

Cover any chopped fruit and vegetables, or store in air-tight packaging. Condensation may form in the fruit and vegetable container depending on the food and quantity stored. Remove the condensation with a dry cloth.

To ensure that the quality and aroma are retained, store fruit and vegetables that are sensitive to cold outside of the appliance at temperatures of approx. 8 °C to 12 °C, e.g. pineapple, bananas, citrus fruits, cucumbers, courgettes, peppers, tomatoes and potatoes.

### 6.4 Butter and cheese compartment

Store butter and hard cheese in the butter and cheese compartment.

### 6.5 Door tray

To adjust the door tray as required, you can remove the door tray and re-insert elsewhere.

→ *"Removing door tray", Page 19*

### 6.6 Accessories

Use original accessories. These have been made especially for your appliance.

The accessories for your appliance depend on the model.

#### Egg tray

Store eggs safely on the egg tray.

### Ice cube tray

Use the ice cube tray to make ice cubes.

#### Making ice cubes

Use only drinking water to make ice cubes.

1. Fill the ice cube tray with drinking water up to  $\frac{3}{4}$  and place in the freezer compartment.  
If the ice cube tray is stuck to the freezer compartment, loosen it with a blunt object such as the handle of a wooden spoon.
2. To loosen the ice cubes, twist the ice cube tray slightly or hold it briefly under flowing water.

---

## 7 Basic operation

### 7.1 Switching on the appliance

1. Electrically connect the appliance.  
→ *Page 12*
- ✓ The appliance is now ready for use.
- ✓ The appliance begins to cool.
- ✓ A warning signal sounds and the temperature display flashes because the freezer compartment is still too warm.
2. Switch off the warning signal using °C.
3. Set the required temperature.  
→ *Page 14*

### 7.2 Operating tips

- Once you have switched on the appliance, the set temperature is only reached after several hours. Do not put any food in the appliance until the set temperature has been reached.
- The front panels of the housing are temporarily heated slightly. This

prevents condensation in the area of the door seal.

- When closing the door, make sure that the door is not blocked by stored items.
- When you close the door, a vacuum may be created. The door is then difficult to open again. Wait a moment until the vacuum is offset.
- The temperature in the appliance varies due to the following conditions:
  - How often the appliance is opened
  - Load capacity
  - Temperature of newly stored food
  - Ambient temperature
  - Direct sunlight

### 7.3 Switching off the appliance

- Disconnect the appliance from the power supply. Unplug the appliance from the mains or switch off the circuit breaker in the fuse box.

### 7.4 Setting the temperature

#### Setting the refrigerator compartment temperature

1. To reduce the temperature, turn the temperature controller to the right towards "extra cold".  
Select a very cold setting only temporarily; if the door is opened frequently or before placing large quantities of food in the refrigerator compartment.
2. To increase the temperature, turn the temperature controller to the right towards "cold".  
→ Fig. 3

**Note:** At a room temperature above 32 °C, slightly reduce the temperature setting in the appliance.

At a room temperature below 16 °C, slightly increase the temperature setting in the appliance.

#### Setting the freezer compartment temperature

- Press °C repeatedly until the temperature display shows the required temperature setting.  
The recommended temperature in the freezer compartment is -18 °C.

---

## 8 Additional functions

Find out which additional functions can be used for your appliance.

### 8.1 Super freezing

With Super freezing, the freezer compartment cools as cold as possible. Switch on Super freezing four to six hours before placing food weighing 2 kg or more into the freezer compartment.

In order to utilise the freezer capacity, use Super freezing.

→ "Prerequisites for freezing capacity", Page 16

**Note:** When Super freezing is switched on, increased noise may occur.

#### Switching on Super freezing

- Press °C repeatedly until "super" lights up.

**Note:** After approx. 54 hours, the appliance switches to normal operation.

#### Switching off Super freezing

- Press °C repeatedly until the temperature display shows the required temperature.

## 8.2 Energy-saving mode

You can set the appliance to save energy with the energy-saving mode. The appliance automatically sets the temperatures.

|                          |                               |
|--------------------------|-------------------------------|
| Refrigerator compartment | Temperature remains unchanged |
| Freezer compartment      | -16 °C                        |

### Switching on energy-saving mode

- ▶ Press °C repeatedly until "eco" lights up.

### Switching off energy-saving mode

- ▶ Press °C repeatedly until the temperature display shows the required temperature.

## 9 Alarm

### 9.1 Door alarm

If the appliance door is open for a while, the door alarm switches on. A warning tone sounds.

#### Switching off the door alarm

- ▶ Close the appliance door.
- ✓ The warning tone is switched off.

### 9.2 Temperature alarm

If the freezer compartment becomes too warm, the temperature alarm is switched on.

A warning tone sounds and the temperature display flashes.

#### CAUTION

#### Risk of harm to health!

During the thawing process, bacteria may multiply and spoil the frozen food.

- ▶ Do not refreeze food after it has been defrosted or started to defrost.

- ▶ Refreeze food only after cooking.
- ▶ These items should no longer be stored for the maximum storage period.

The temperature alarm can be switched on in the following cases:

- The appliance is switched on.  
Do not store any food until the appliance has reached the set temperature.
- Large quantities of fresh food are being placed inside.  
Switch on Super freezing before placing large quantities of food in the appliance.
- The freezer compartment door is open for too long.  
Check whether the frozen food has defrosted or thawed.

### Switching off the temperature alarm

- ▶ Press °C.
- ✓ The warning tone is switched off.

## 10 Refrigerator compartment

You can keep meat, sausage, fish, dairy products, eggs, prepared meals and pastries in the refrigerator compartment.

The temperature can be set from "cold" to "extra cold".

The refrigerator compartment can also be used to store highly perishable foods in the short to medium term. The lower the selected temperature, the longer the food remains fresh.

## 10.1 Tips for storing food in the refrigerator compartment

- Only store food when fresh and undamaged.
- Store food covered or in air-tight packaging.
- To avoid impeding the circulation of air and to prevent food from freezing, do not place food in front of the inner ventilation openings or in direct contact with the back wall.
- Allow hot food and drinks to cool down first before placing in the appliance.
- Observe the best-before date or use-by date specified by the manufacturer.

## 10.2 Chill zones in the refrigerator compartment

The air circulation in the refrigerator compartment creates different chill zones.

### Coldest zone

The coldest zone is on the top shelf.

**Tip:** Store highly perishable food such as fish, sausages and meat in the coldest zone.

### Warmest zone

The warmest zone is at the very bottom of the door and in the lower fruit and vegetable container.

**Tip:** Store food that does not spoil easily in the warmest zone, e.g. hard cheese and butter. Cheese can then continue to release its aroma and the butter will still be easy to spread.

---

## 11 Freezer compartment

You can store frozen food, freeze food and make ice cubes in the freezer compartment.

The temperature can be set from  $-16\text{ }^{\circ}\text{C}$  to  $-24\text{ }^{\circ}\text{C}$ .

Long-term storage of food should be at  $-18\text{ }^{\circ}\text{C}$  or lower.

The freezer compartment can be used to store perishable food long-term. The low temperatures slow down or stop the spoilage.

### 11.1 Freezing capacity

The freezing capacity indicates the quantity of food that can be frozen right through to the centre within a specific period of time.

Information on freezing capacity can be found on the rating plate.

→ "Appliance", Fig. 1/4 Page 12

### Prerequisites for freezing capacity

1. Approx. 24 hours before storing fresh food in the appliance, switch on Super freezing.  
→ "Switching on Super freezing", Page 14
2. Store the food in the bottom frozen food container first.

### 11.2 Fully utilising the freezer compartment volume

Learn how to store the maximum amount of frozen food in the freezer compartment.

1. Remove all fittings from the freezer compartment. → Page 19
2. Stack the food directly on the shelves and on the floor of the freezer compartment.

### 11.3 Tips for storing food in the freezer compartment

- Store food in air-tight packaging.
- Do not bring food which is to be frozen into contact with frozen food.
- Place the food over the whole area of the freezer tray or the frozen food containers.
- To ensure that the air can circulate freely in the appliance, push the frozen food containers in as far as they will go.

### 11.4 Tips for freezing fresh food

- Freeze fresh and undamaged food only.
- Freeze food in portions.
- Cooked food is more suitable than food that can be eaten raw.
- Vegetables: Wash, chop up and blanch before freezing.
- Fruit: Wash, pit and perhaps peel, possibly add sugar or ascorbic acid solution.
- Food that is suitable for freezing includes baked items, fish and seafood, meat, game, poultry, eggs without shells, cheese, butter and quark, ready meals and leftovers.
- Food that is unsuitable for freezing includes lettuce, radishes, eggs in shells, grapes, raw apples and pears, yoghurt, sour cream, crème fraîche and mayonnaise.

### Packing frozen food

If you select suitable packaging material and the correct type of packaging, you can determine the product quality and prevent freezer burn.

1. Place the food in the packaging.
2. Squeeze out the air.

3. Pack food airtight to prevent it from losing flavour and drying out.
4. Label the packaging with the contents and the date of freezing.

### 11.5 Shelf life of frozen food at -18 °C

| Food                                           | Storage time    |
|------------------------------------------------|-----------------|
| Fish, sausages, prepared meals and baked goods | up to 6 months  |
| Poultry, meat                                  | up to 8 months  |
| Vegetables, fruit                              | up to 12 months |

The imprinted freezer calendar indicates the maximum storage duration in months at a constant temperature of -18 °C.

### 11.6 Defrosting methods for frozen food

#### CAUTION

#### Risk of harm to health!

During the thawing process, bacteria may multiply and spoil the frozen food.

- ▶ Do not refreeze food after it has been defrosted or started to defrost.
- ▶ Refreeze food only after cooking.
- ▶ These items should no longer be stored for the maximum storage period.
- Defrost animal-based food, such as fish, meat, cheese, quark, in the refrigerator compartment.
- Defrost bread at room temperature.
- Prepare food for immediate consumption in the microwave, in the oven, or on the hob.

## 12 Defrosting

### 12.1 Defrosting in the refrigerator compartment

The refrigerator compartment in your appliance defrosts automatically.

### 12.2 Defrosting in the freezer compartment

The fully automatic NoFrost system ensures that the freezer compartment remains frost-free. Defrosting is not required.

## 13 Cleaning and servicing

Customer Service must clean inaccessible points. Cleaning by customer service can give rise to costs.

### 13.1 Preparing the appliance for cleaning

1. Disconnect the appliance from the power supply.  
Unplug the appliance from the mains or switch off the circuit breaker in the fuse box.
2. Take out all of the food and store it in a cool place.  
Place ice packs (if available) onto the food.
3. Remove all fittings and accessories from the appliance.  
→ *Page 19*

### 13.2 Cleaning the appliance

#### **WARNING**

##### **Risk of electric shock!**

An ingress of moisture can cause an electric shock.

- ▶ Do not use steam- or high-pressure cleaners to clean the appliance.

Liquid in the lighting, controls or inner ventilation openings can be dangerous.

- ▶ The rinsing water must not drip into the lighting, controls or inner ventilation openings.

#### **ATTENTION**

Unsuitable cleaning products may damage the surfaces of the appliance.

- ▶ Do not use hard scouring pads or cleaning sponges.
- ▶ Do not use harsh or abrasive detergents.
- ▶ Do not use cleaning products with a high alcohol content.

If you clean fittings and accessories in the dishwasher, this may cause them to become deformed or discoloured.

- ▶ Never clean fittings and accessory in the dishwasher.

1. Prepare the appliance for cleaning.  
→ *Page 18*
2. Clean the appliance, the fittings, the accessories and the door seals with a dish cloth, lukewarm water and a little pH-neutral washing-up liquid.
3. Dry thoroughly with a soft, dry cloth.
4. Insert the fittings.
5. Electrically connect the appliance.  
→ *Page 12*
6. Putting the food into the appliance.

### 13.3 Removing the fittings

If you want to clean the fittings thoroughly, remove these from your appliance.

#### Removing the shelf

- ▶ Lift the shelf at the front ①, pull it out and remove it ②.  
→ Fig. 4

#### Removing door tray

- ▶ Lift the door tray and remove it.  
→ Fig. 5

#### Removing the fruit and vegetable container

1. Pull out the fruit and vegetable container as far as it will go.
2. Lift the fruit and vegetable container at the front ① and remove it ②.  
→ Fig. 6

#### Removing the freezer tray

1. Pull out the freezer tray as far as it will go.
2. Lift the freezer tray at the front ① and remove it ②.  
→ Fig. 7

#### Removing the frozen food container

1. Take out the frozen food container as far as it will go.
2. Lift the frozen food container at the front ① and remove it ②.  
→ Fig. 8

#### Removing the front of the container

You can remove the front of the fruit and vegetable container to facilitate cleaning.

- ▶ Press in the snap-in hooks on the side of the container ① and remove the front from the container in a turning motion ②.  
→ Fig. 9

## 14 Troubleshooting

You can rectify minor faults on your appliance yourself. Read the troubleshooting information before contacting after-sales service. This will avoid unnecessary costs.

### **WARNING**

#### **Risk of electric shock!**

Improper repairs are dangerous.

- ▶ Repairs to the appliance should only be carried out by trained specialist staff.
- ▶ Only use genuine spare parts when repairing the appliance.
- ▶ If the power cord of this appliance is damaged, it must be replaced by the manufacturer, the manufacturer's Customer Service or a similarly qualified person in order to prevent any risk.

| Fault                                                            | Cause and troubleshooting                                                                           |
|------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| The appliance is not cooling, the displays and lighting are lit. | Showroom mode is switched on.<br>1. Press and hold °C for 5 seconds until an audible signal sounds. |

| Fault                                                                    | Cause and troubleshooting                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| The appliance is not cooling, the displays and lighting are lit.         | 2. Switch the appliance off and on again, and check whether it is cooling.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| The LED lighting does not work.                                          | Different causes are possible. <ul style="list-style-type: none"><li>▶ Call customer service.</li></ul> The customer service number can be found in the enclosed customer service directory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| The refrigeration unit is switching on more frequently and for longer.   | The appliance has been opened frequently. <ul style="list-style-type: none"><li>▶ Do not open appliance door unnecessarily.</li></ul> External ventilation openings are covered up. <ul style="list-style-type: none"><li>▶ Remove any obstructions from in front of the external ventilation openings.</li></ul> Not a fault. Modern refrigeration machines switch on more frequently and have different power levels to cool more efficiently.  <ul style="list-style-type: none"><li>▶ Remove any obstructions from in front of the external ventilation openings.</li><li>▶ Install the appliance as far away as possible from heating elements, cookers and other heat sources. Avoid prolonged exposure of the appliance to direct sunlight.</li><li>▶ Only open the appliance door as briefly as necessary.</li><li>▶ Allow hot food and drinks to cool down first before storing in the appliance.</li></ul> |
| A layer of frost forms on the back wall of the refrigerator compartment. | Not a fault. Modern refrigeration machines ensure a more even temperature in the refrigerator compartment. The back wall of the refrigerator compartment is defrosted automatically at regular intervals.  <ul style="list-style-type: none"><li>▶ Only open the appliance door as briefly as necessary.</li><li>▶ Pack the food airtight or cover it.</li><li>▶ Allow hot food and drinks to cool down first before storing in the appliance.</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

| Fault                                                                                               | Cause and troubleshooting                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A layer of frost forms on the back wall of the refrigerator compartment.                            | <ul style="list-style-type: none"> <li>▶ Always leave some space between the food and the interior walls.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Side panels of the appliance are warm.                                                              | Not a fault. The side panels contain pipes which heat up during the cooling process. Units touching the appliance will not be damaged by the heat.<br>No action required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| The warning tone sounds.<br>The door alarm is switched on.                                          | The appliance door is open.<br><ul style="list-style-type: none"> <li>▶ Close the appliance door.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| A warning tone sounds and the temperature display flashes.<br>The temperature alarm is switched on. | Different causes are possible.<br><ul style="list-style-type: none"> <li>▶ Press <b>°C</b>.</li> <li>✓ The alarm is switched off.</li> </ul> <hr/> External ventilation openings are covered up.<br><ul style="list-style-type: none"> <li>▶ Remove any obstructions from in front of the external ventilation openings.</li> </ul> <hr/> Larger quantities of fresh food have been put in.<br><ul style="list-style-type: none"> <li>▶ Do not exceed the max. freezing capacity.<br/>→ "Freezing capacity", Page 16</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| The set temperature is not reached.<br>Fully automatic defrosting no longer works.                  | The freezer compartment door was open for a long time. The evaporator (refrigeration unit) in the noFrost system is heavily iced up.<br><b>Requirement:</b> Store the frozen food well insulated in a cool place.<br><ol style="list-style-type: none"> <li>1. Switch off the appliance. → Page 14</li> <li>2. Disconnect the appliance from the mains.<br/>Unplug the appliance from the mains or switch off the circuit breaker in the fuse box.</li> <li>3. Move the appliance away from the wall.</li> <li>4. Leave the appliance door open.</li> <li>✓ After approx. 20 minutes, the condensation starts to run into the evaporation pan at the rear of the appliance.<br/>→ Fig. <b>10</b></li> <li>5. To prevent the evaporation pan from overflowing, mop up the condensation water with a sponge.<br/>The evaporator is defrosted if no more condensation water runs into the evaporation pan.</li> <li>6. Clean the interior of the appliance. → Page 18</li> <li>7. Switch the appliance back on. → Page 13</li> </ol> |

| Fault                                                                                                           | Cause and troubleshooting                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| The temperature differs greatly from the setting.                                                               | Different causes are possible.<br><b>1.</b> Switch off the appliance. → <i>Page 14</i><br><b>2.</b> Switch the appliance back on after five minutes.<br>→ <i>Page 13</i><br>▶ If the temperature is too warm, check the temperature again after a couple of hours.<br>▶ If the temperature is too cold, check the temperature again on the following day. |
| Condensation accumulates on the surface of the appliance and on the shelves inside.                             | The water contained in warm and humid air condenses on the colder surfaces of the appliance.<br><b>1.</b> Wipe away the condensation water with a soft, dry cloth.<br><b>2.</b> Open the appliance as briefly as possible.<br><b>3.</b> Ensure that the appliance is always closed properly.                                                              |
| The appliance hums, bubbles, buzzes, gargles, clicks or crackles.                                               | Not a fault. A motor is running, e.g. refrigerating unit, fan. Refrigerant flows through the pipes. The motor, switches or solenoid valves are switching on or off. Automatic defrosting is running.<br>No action required.                                                                                                                               |
| <br>The appliance makes noises. | The appliance is not level.<br>▶ Align the appliance using a spirit level and the screw feet.                                                                                                                                                                                                                                                             |
|                                                                                                                 | The appliance is not free-standing.<br>▶ Observe the minimum clearances for the appliance.                                                                                                                                                                                                                                                                |
|                                                                                                                 | Fittings wobble or stick.<br>▶ Check the removable fittings and, if required, replace these.                                                                                                                                                                                                                                                              |
|                                                                                                                 | Bottles or containers are touching.<br>▶ Move the bottles or containers away from each other.                                                                                                                                                                                                                                                             |
|                                                                                                                 | Super freezing is switched on.<br>No action required.                                                                                                                                                                                                                                                                                                     |

### 14.1 Power failure

During a power failure, the temperature in the appliance rises; this reduces the storage time and the quality of the frozen food.  
On the website for your appliance, the technical data provides you with the storage times for frozen food in the event of a fault.

### Notes

- Open the appliance as little as possible during a power failure and do not place any other food in the appliance.
- Check the quality of the food immediately after a power failure.
  - Dispose of any frozen food that has defrosted and is hotter than 5 °C.

- Cook or fry slightly thawed frozen food, and then either consume it or freeze it again.

---

## 15 Storage and disposal

### 15.1 Taking the appliance out of operation

1. Disconnect the appliance from the power supply.  
Unplug the appliance from the mains or switch off the circuit breaker in the fuse box.
2. Remove all of the food.
3. Clean the appliance. → *Page 18*
4. To guarantee the ventilation inside the appliance, leave the appliance open.

### 15.2 Disposing of old appliance

Valuable raw materials can be re-used by recycling.

#### **WARNING**

##### **Risk of harm to health!**

Children can lock themselves in the appliance, thereby putting their lives at risk.

- ▶ Leave shelves and containers inside the appliance to prevent children from climbing in.
- ▶ Keep children away from the redundant appliance.

#### **WARNING**

##### **Risk of fire!**

If the tubes are damaged, flammable refrigerant and harmful gases may escape and ignite.

- ▶ Do not damage the tubes of the refrigerant circuit or the insulation.
1. Unplug the appliance from the mains.

2. Cut through the power cord.
3. Dispose of the appliance in an environmentally friendly manner.  
Information about current disposal methods are available from your specialist dealer or local authority.

---

## 16 Customer Service

Detailed information about the warranty period and the warranty conditions in your country is available via the QR code on the enclosed document on service contacts and warranty conditions, from our customer service or on our website.

You can find the contact details for our customer service via the QR code on the enclosed document on service contacts and warranty conditions or on our website.

### 16.1 Product number (E-Nr.) and production number (FD)

If you contact Customer Service, you will require the product number (E-Nr.) and the production number (FD), which you can find on the appliance's rating plate.

→ *"Appliance", Fig.  4 Page 12*  
Make a note of your appliance's details and the Customer Service telephone number to find them again quickly.

---

## 17 Technical data

Refrigerant, cubic capacity and further technical specifications can be found on the rating plate.

→ *"Appliance", Fig.  4 Page 12*



يمكنك الاطلاع على معلومات وتوضيحات إضافية عبر الإنترنت.  
أمسح رمز الاستجابة السريعة ضوئياً في الصفحة الأولى.

## فهرس المحتويات

|     |                                   |    |                                      |
|-----|-----------------------------------|----|--------------------------------------|
| ١٨  | التجميد الفائق .....              | ٢٥ | الأمان .....                         |
| ٢٨  | وضع توفير الطاقة .....            | ١٤ | إرشادات عامة .....                   |
| ٣٤  | ٩ الإنذار .....                   | ٢٤ | الاستعمال المطابق .....              |
| ٣٤  | ١٩ إنذار الباب .....              | ٢٥ | للتعليمات .....                      |
| ٣٤  | ٢٩ إنذار درجة الحرارة .....       | ٣٤ | تقييد دائرة المستخدمين .....         |
| ٣٥  | ١٠ قسم التبريد .....              | ٤٤ | النقل الآمن .....                    |
| ١٤٠ | نصائح لتخزين الأطعمة في .....     | ٥٤ | التركيب الآمن .....                  |
| ٣٥  | قسم التبريد .....                 | ٦٤ | الاستخدام الآمن .....                |
| ٢٤٠ | النطاقات الباردة في قسم .....     | ٧٤ | الجهاز المتضرر .....                 |
| ٣٥  | التبريد .....                     | ٢٩ | ٢ تجنب الأضرار المادية .....         |
| ٣٥  | ١١ صندوق التجميد .....            | ٣٠ | ٣ حماية البيئة والتوفير .....        |
| ٣٥  | ١٤١ قدرة التجميد .....            | ١٣ | ١٣ التخلص من مواد التغليف .....      |
| ٢٤١ | استغلال سعة صندوق .....           | ٢٣ | ٢٣ توفير الطاقة .....                |
| ٣٦  | التجميد بالكامل .....             | ٣٠ | ٤ التنصيب والتوصيل .....             |
| ٣٤١ | نصائح لتخزين الأطعمة في .....     | ١٤ | ١٤ محتويات عبوة المنتج .....         |
| ٣٦  | صندوق التجميد .....               | ٢٤ | ٢٤ معايير مكان النصب .....           |
| ٤٤١ | نصائح حول تجميد الأطعمة .....     | ٣٤ | ٣٤ تركيب الجهاز .....                |
| ٣٦  | الطازجة .....                     | ٤٤ | ٤٤ تحضير الجهاز للاستخدام لأول ..... |
| ٥٤١ | صلاحية الأطعمة المجمدة في .....   | ٣١ | مرة .....                            |
| ٣٦  | درجة حرارة -18 °م .....           | ٥٤ | ٥٤ توصيل الجهاز كهربائياً .....      |
| ٦٤١ | طرق إذابة التجمد عن .....         | ٣١ | ٥ التعرف .....                       |
| ٣٦  | الأطعمة المجمدة .....             | ١٥ | ١٥ الجهاز .....                      |
| ٣٧  | ١٢ إذابة التجمد .....             | ٢٥ | ٢٥ نطاق الاستعمال .....              |
| ١٤٢ | إذابة التجمد في قسم .....         | ٣٢ | ٦ التجهيزات .....                    |
| ٣٧  | التبريد .....                     | ١٦ | ١٦ الرف .....                        |
| ٢٤٢ | إذابة التجمد في صندوق .....       | ٢٦ | ٢٦ درج المجمد .....                  |
| ٣٧  | التجميد .....                     | ٣٦ | ٣٦ درج الفاكهة والخضروات .....       |
| ٣٧  | ١٣ التنظيف والعناية .....         | ٤٦ | ٤٦ درج الزبدة والجبن .....           |
| ١٤٣ | ١٣ تحضير الجهاز للتنظيف .....     | ٥٦ | ٥٦ رف الباب .....                    |
| ٢٤٣ | ٢٤٣ تنظيف الجهاز .....            | ٦٦ | ٦٦ الملحقات .....                    |
| ٣٨  | ٣٤٣ إخراج أجزاء التجهيزات .....   | ٣٣ | ٧ الاستعمال الأساسي .....            |
| ٣٨  | ١٤ التغلب على الاختلالات .....    | ١٧ | ١٧ تشغيل الجهاز .....                |
| ٤١  | ١٤٤ انقطاع التيار الكهربائي ..... | ٢٧ | ٢٧ إرشادات حول التشغيل .....         |
| ٤١  | ١٥ التخزين والتخلص .....          | ٣٧ | ٣٧ إيقاف الجهاز .....                |
| ٤١  | ١٥٠ إخراج الجهاز من الخدمة .....  | ٤٧ | ٤٧ ضبط درجة الحرارة .....            |
| ٤١  | ٢٤٥ التخلص من الجهاز القديم ..... | ٣٣ | ٨ الوظائف الإضافية .....             |

## ١ الأمان

أحرص على مراعاة إرشادات الأمان التالية.

### ١-١ إرشادات عامة

- اقرأ هذا الدليل بعناية.
- احتفظ بالدليل وبمعلومات المنتج لغرض الاستخدام اللاحق أو لتسليمها إلى المالك التالي.
- لا توصل الجهاز بالكهرباء في حالة وجود أضرار ناتجة عن عملية النقل.

### ٢-١ الاستعمال المطابق للتعليمات

- لا تستخدم الجهاز إلا:
- لتبريد المواد الغذائية وتجميدها، وتحضير الثلج.
- في المنزل الخاص وفي الأماكن المغلقة من المحيط المنزلي.
- حتى ارتفاع يبلغ 2000 م فوق سطح البحر.

### ٣-١ تقييد دائرة المستخدمين

- يمكن للأطفال بدءًا من عُمر 8 سنوات فما فوق، وكذلك للأشخاص الذين يعانون نقصًا في القدرات الجسدية أو الحسية أو العقلية، أو يعانون نقصًا في الإدراك أو المعرفة أو كليهما، استخدام هذا الجهاز، إذا تم ذلك تحت إشراف وبعد اطلاعهم على كيفية التشغيل الآمن للجهاز، وإدراك المخاطر الناتجة.
- لا يجوز للأطفال العبث بالجهاز.
- لا يجوز للأطفال تنظيف الجهاز أو إجراء أعمال الصيانة المنوطة بالمستخدم إلا إذا تمت مراقبتهم أثناء ذلك.

### ٤-١ النقل الآمن

#### ⚠ تحذير - خطر الإصابة!

- قد يؤدي الوزن المرتفع للجهاز إلى إصابات عند رفعه.
- لا ترفع الجهاز بمفردك.

## 0-1 التركيب الآمن

### ⚠ تحذير – خطر الصعق الكهربائي!

- أعمال التركيب غير السليمة فنيًا تُشكل خطورة.
- ◀ لا توصّل الجهاز وتشغّل إلا وفقًا للقيم الموضّحة على لوحة الصنع.
- ◀ لا توصّل الجهاز إلا بمقبس مرّكب بطريقة سليمة ومزود بوصلة تأريض على أن تكون شبكة الكهرباء ذات تيار متردد.
- ◀ يجب أن يكون نظام أسلاك الحماية الأرضية الخاص بتركيبات المنزل الكهربائيّة مرّكبًا وفقًا للوائح المعنية.
- ◀ لا تزود الجهاز أبدًا عبر تجهيزة تشغيل خارجية، من قبيل مِقَاتِي أو جهاز تحكم عن بعد.
- ◀ إذا كان الجهاز مرّكبًا وجب أن يكون قابس الكهرباء لكابل التوصيل بالشبكة حر الحركة، أو إذا تعدّر تسهيل الوصول إليه، يجب في حالة التثبيت الكهربائي الدائم تركيب تجهيزة فصل طبقًا لتشريعات البناء.
- ◀ عند نصب الجهاز احرص على مراعاة ألا يكون كابل الكهرباء محشورًا أو متضررًا.
- أي عزل متضرر لكابل الكهرباء سوف يشكّل خطرًا.
- ◀ لا تقم مطلقًا بوضع وصلة الشبكة في وضع تلامس مع مصادر حرارية.

### ⚠ تحذير – خطر الانفجار!

- إذا كانت فتحات تهوية الجهاز مغلقة، فيمكن في حالة حدوث تسرب بدورة التبريد أن ينشأ خليط غاز وهواء قابل للاشتعال.
- ◀ لا تغلق فتحات التهوية في جسم الجهاز أو في صندوق التركيب.

### ⚠ تحذير – خطر نشوب حريق!

- هناك خطورة عند استخدام كابل كهرباء مطول ومهايئ غير معتمد.
- ◀ لا تستخدم كابل إطالة أو مقبّسًا متعددًا.
- ◀ لا تستخدم إلا المهائث وكابلات الكهرباء المصّرّح بها من الجهة المُنْتَجة.
- ◀ إذا كان كابل الكهرباء أقصر من اللازم ولا يتوفّر كابل كهرباء أطول، فاتصل بشركة متخصصة في التوصيلات الكهربائيّة كي تُعدّل التركيبات المنزلية.
- المقابس المتعددة المتنقلة أو أجزاء الشبكة يمكن أن تسخن للغاية وتسبب حريقًا.
- ◀ لا تضع المقابس المتعددة المتنقلة أو أجزاء الشبكة على الجهة الخلفية للجهاز.

## ٦-١ الاستخدام الآمن

### ⚠ تحذير – خطر الصعق الكهربائي!

- الرطوبة التي تتوغل في الجهاز قد تسبب صدمة كهربائية.
- لا تستخدم الجهاز إلا في أماكن مغلقة.
- لا تعرض الجهاز أبدًا للحرارة والرطوبة الشديديتين.
- لا تستخدم أجهزة تنظيف بالضغط العالي أو أجهزة تنظيف البخار، كي تنظف الجهاز.

### ⚠ تحذير – خطر الاختناق!

- يمكن أن يلف الأطفال مواد التغليف فوق رؤوسهم أو ينحسروا بداخلها ويختنقوا.
- أبعد مواد التغليف عن متناول الأطفال.
- لا تدع الأطفال يلعبون بمواد التغليف للجهاز.
- يمكن أن يستنشق الأطفال الأجزاء الصغيرة أو يبتلعوها ومن ثم يختنقون.
- أبعد الأجزاء الصغيرة عن متناول الأطفال.
- لا تدع الأطفال يلعبون بالأجزاء الصغيرة.

### ⚠ تحذير – خطر الانفجار!

- عند تعرض دروة التبريد للضرر يمكن أن تتسرب مادة التبريد القابلة للاشتعال وتنفجر.
- لغرض تعجيل عملية إذابة التجمد لا تستخدم أية تجهيزات ميكانيكية أخرى أو أية وسائل أخرى غير تلك الموصى بها من قبل الجهة الصانعة.
- قم بفك الأطعمة المجمدة بأداة غير حادة، مثل مقبض ملعقة خشبية.
- المنتجات المحتوية على غازات نقّالة قابلة للاشتعال والمواد المتفجرة يمكن أن تنفجر، مثلًا علب الرش.
- تجنب تخزين المنتجات المحتوية على غازات نقّالة قابلة للاشتعال أو مواد متفجرة في الجهاز.

### ⚠ تحذير – خطر نشوب حريق!

- أية أجهزة كهربائية يتم وضعها داخل الجهاز يمكن أن تسبب حريقًا، مثل السخانات أو أجهزة إعداد الثلج الكهربائية.
- لا تقم بتشغيل أية أجهزة كهربائية داخل الجهاز.

### ⚠ تحذير – خطر الإصابة!

- يمكن أن تنفجر الحاويات المحتوية على مشروبات غازية.
- يحظر تخزين الحاويات المحتوية على مشروبات غازية في صندوق التجميد.

إصابة العينين من جراء تسرب مادة التبريد القابلة للاشتعال والغازات الضارة.

- ◀ احرص على عدم إلحاق أضرار بأنابيب دورة التبريد أو العازل.
- ◀ لا تضغط بقدمك على القاعدة أو الأرفف أو الأبواب، ولا تستند عليها.

### ⚠ تحذير - خطر الإصابة بحروق!

عند تشغيل الجهاز تصبح أجزاؤه الخلفية ساخنة.  
◀ لا تلمس أبدا الأجزاء الساخنة.

### ⚠ تحذير - خطر الإصابة بلسعات برد!

- يمكن أن تؤدي ملامس الأطعمة المجمدة والأسطح الباردة إلى الإصابة باكتواءات بسبب البرودة.
- ◀ لا تتناول المواد المجمدة في فمك، فور إخراجها من صندوق التجميد.
- ◀ تجنب ملامسة الجلد لفترة طويلة للمواد المجمدة أو الثلج أو الأسطح الموجودة في صندوق التجميد.

### ⚠ احترس - خطر حدوث أضرار صحية!

- لتجنب تلوث الأطعمة يجب مراعاة التعليمات التالية.
- ◀ في حالة فتح الباب لفترة طويلة نسبياً، يمكن أن ترتفع درجة الحرارة بشكل بالغ في أقسام الجهاز.
- ◀ قم بصفة دورية بتنظيف الأسطح التي تلامس الأطعمة وأنظمة التصريف التي يمكن الوصول إليها.
- ◀ احفظ اللحوم والأسماك النيئة في أوعية مناسبة في جهاز التبريد بحيث لا تلامس الأطعمة الأخرى أو تتقاطر عليها.
- ◀ في حالة ترك جهاز التبريد/التجميد فارغاً لفترة طويلة نسبياً، أوقف الجهاز وقم بإذابة التجمد به وتنظيفه، واطرك الباب مفتوحاً، لتجنب حدوث تعفن.
- الأجزاء الموجودة في الجهاز والمصنوعة من المعدن أو تتميز بمظهر المعدن، قد تحتوي على الألومنيوم. إذا تلامست الأطعمة الحمضية مع الألومنيوم الموجود في الجهاز، فقد تنتقل أيونات الألومنيوم إلى الطعام.
- ◀ لا تتناول الأطعمة الملوثة.

## ٧-١ الجهاز المتضرر

### ⚠ تحذير - خطر الصعق الكهربائي!

- أي جهاز متضرر أو كابل كهرباء تالف سوف يشكل خطراً.
- ◀ لا تقم أبداً بتشغيل جهاز تالف.

- ◀ لا تشد كابل الكهرباء المتصل بالشبكة كي تفصل الجهاز عن شبكة الكهرباء أبدًا. انزع القابس الكهربائي من كابل الكهرباء دائمًا.
- ◀ إذا كان الجهاز متضررًا أو كابل التوصيل بالشبكة تالفًا، فاسحب على الفور القابس الكهربائي لكابل التيار أو افصل المصهر الموجود في صندوق المصاهر.
- ◀ اتصل بخدمة العملاء. ←/الصفحة 42
- تنطوي أعمال الإصلاح غير السليمة فنيًا على أخطار.
- ◀ وحدهم أفراد الطاقم الفني المدربون من أجل ذلك يُسمح لهم بإجراء إصلاحات على الجهاز.
- ◀ لا يُسمح إلا باستخدام قطع الغيار الأصلية لإصلاح الجهاز.
- ◀ إذا كان كابل الكهرباء لهذا الجهاز متضررًا، يجب تغييره من قبل الجهة الصانعة أو مركز خدمة العملاء التابع لها أو من قبل فني مؤهل بشكل مماثل، وذلك لتجنب المخاطر.

### ⚠ تحذير - خطر نشوب حريق!



- في حالة حدوث ضرر بالمواسير يمكن أن تتسرب مادة التبريد القابلة للاشتعال وتتسرب منها غازات ضارة وتشتعل.
- ◀ أبعد على الفور أي نار أو مصادر لهب عن الجهاز.
- ◀ قم بتهوية المكان.
- ◀ أوقف الجهاز. ←/الصفحة 33
- ◀ اسحب القابس الكهربائي لكابل التيار أو افصل المصهر الموجود في صندوق المصاهر.
- ◀ اتصل بخدمة العملاء. ←/الصفحة 42

## ٢ تجنب الأضرار المادية

### تنبيه

- قد ينتج عن إمالة عجلات الجهاز إتلاف الأرضية عند نقل الجهاز.
- ◀ انقل الجهاز باستخدام عربة نقل.
- ◀ احرص على استخدام واقي للأرضية عند نقل الجهاز ولا تتحرك بطريقة متعرجة.
- يمكن أن يتعرض الجهاز للضرر من جراء استخدام القاعدة أو الأرفف أو الأبواب كسطح جلوس أو سطح صعود.
- ◀ لا تضغط بقدمك على الجهاز أو القاعدة أو الأرفف أو الأبواب، ولا تستند عليها.
- من خلال اتساخات الزيوت أو الدهون يمكن أن تصبح الأجزاء البلاستيكية وعناصر إحكام الباب مسامية.
- ◀ حافظ على الأجزاء البلاستيكية وعناصر إحكام الباب نظيفة من الزيوت والدهون.
- الأجزاء الموجودة في الجهاز والمصنوعة من المعدن أو تتميز بمظهر المعدن، قد تحتوي على الألومنيوم. يتعرض الألومنيوم للصدأ ويتغير لونه عند الاتصال بالمواد الغذائية المحتوية على أحماض.
- ◀ لا تقم بتخزين أي طعام في الجهاز دون تغليف.

- احرص على نقل الأطعمة التي تشتريها في حقيبة حفظ البرودة ثم ضعها سريعًا في الجهاز.
- اترك المواد الغذائية والمشروبات الساخنة تبرد قبل وضعها في الثلاجة.
- للانتفاع ببرودة المواد المجمدة ضع المواد المجمدة المراد إذابة تجمدها في قسم التبريد.
- اترك مسافة دائمة بين الأطعمة والجدار الخلفي للجهاز.

## ٤ التنصيب والتوصيل

### ٤-١ محتويات عبوة المنتج

- بعد إخراج كافة الأجزاء من عبوة التغليف، تأكد من خلوها من أية أضرار ناجمة عن النقل واكتمال مجموعة التوريدات.
- في حالات الشكاوى توجه إلى تاجرِك أو إلى مركز خدمة العملاء ←/الصفحة 42 التابع لنا.
- تتكون مجموعة التجهيزات الموردة من:
- جهاز مستقل
- التجهيزات والملحقات<sup>1</sup>
- مواد التركيب
- دليل التركيب
- دليل الاستعمال
- سجل خدمة العملاء
- ملحق الضمان<sup>2</sup>
- ملصق الطاقة
- معلومات حول استهلاك الطاقة والوضوء

### ٤-٢ معايير مكان النصب

#### ⚠ تحذير

#### خطر الانفجار!

إذا كان الجهاز موجودًا في مكان صغير للغاية، فيمكن في حالة حدوث

عندما تقوم بتنظيف أجزاء التجهيزات والملحقات في غسالة الأواني، فإنها يمكن أن تتشوه أو يتغير لونها. لا تقم أبدًا بتنظيف أجزاء التجهيزات والملحقات في غسالة الأواني.

## ٣ حماية البيئة والتوفير

### ٣-١ التخلص من مواد التغليف

- كافة مواد التغليف خامات غير ضارة بالبيئة ويمكن إعادة استغلالها.
- تخلّص من المكونات المفردة بشكل منفصل حسب نوعها.

### ٣-٢ توفير الطاقة

عندما تتبع هذه الإرشادات، يستهلك جهازك كمية أقل من الطاقة.

#### اختيار مكان النصب

- احرص على حماية الجهاز من أشعة الشمس المباشرة.
- اجعل مكان نصب الجهاز أبعد ما يمكن عن عناصر التسخين أو الموقد أو مصادر الحرارة الأخرى:
- حافظ على وجود مسافة 30 مم نحو المواقد الكهربائية أو الغازية.
- حافظ على مسافة 300 مم نحو المواقد العاملة بالنفط أو الفحم.
- التزم بمسافة صغيرة من جانب الجدار.
- لا تقم أبدًا بتغطية فتحات التهوية الخارجية أو غلقها.

### توفير الطاقة عند الاستخدام

**ملاحظة:** ترتيب أجزاء التجهيزات لا يؤثر على استهلاك الطاقة للجهاز.

- لا تفتح الجهاز إلا لفترة قصيرة وأغلقه بعناية.
- لا تقم أبدًا بتغطية فتحات التهوية الداخلية أو فتحات التهوية الخارجية أو غلقها.

<sup>1</sup> حسب تجهيز الجهاز

<sup>2</sup> ليست في كل البلدان

2. قم بإزالة رقائق الحماية ووسائل تأمين النقل، مثلاً الأشرطة اللاصقة والكارتون.
3. قم بتنظيف الجهاز لأول مرة. ←الصفحة 37

## 0-٤ توصيل الجهاز كهربائياً

1. أدخل مقبس الشبكة لكابل التوصيل بالكهرباء للجهاز في مقبس قريب من الجهاز.  
توجد بيانات توصيل الجهاز على لوحة الصنع. ←الـ"جهاز"، الشكل 1/4  
الصفحة 31
2. افحص مقبس الشبكة للتأكد من ثباته. ✓  
وعندئذ يكون الجهاز جاهزاً للتشغيل.

## 0 التعرّف

### 0-١ الجهاز

- تجد هنا نظرة عامة على مكونات جهازك.  
←الشكل 1

**A** درج التبريد ←الصفحة 35

**B** المجمد ←الصفحة 35

**1** نطاق الاستعمال ←الصفحة 32

**2** الإضاءة

**3** منظم درجة الحرارة (درج التبريد)

**4** لوحة الصنع ←الصفحة 42

**5** درج الفاكهة والخضروات  
←الصفحة 32

**6** درج المجمد ←الصفحة 32

**7** حاوية المجمدات ←الصفحة 38

**8** قدم ذات مسامير حلزونية

تسرب بدورة التبريد أن ينشأ خليط غاز وهواء قابل للاشتعال.  
❖ لا تقم بنصب الجهاز إلا في مكان متوسط مساحة لا يقل عن 1 م<sup>3</sup> لكل 8 جم من مادة التبريد. كمية مادة التبريد مدونة على لوحة الصنع.

←الـ"جهاز"، الشكل 1/4  
الصفحة 31

قد يصل وزن الجهاز تبعاً للطراز من قبل المصنع حتى 70 كجم.  
لتحمل وزن الجهاز يجب أن تكون الأرضية مستقرة بدرجة كافية.  
يجب أن تكون الأرضية مستوية.  
صُممت هذه التلاجة للاستخدام في درجات حرارة محيطية تتراوح من 10 م° إلى 43 م°.  
يكون الجهاز قادراً على العمل بكامل طاقته في نطاق درجة الحرارة المحيطية المسموح بها.  
عند تشغيل الجهاز في درجة حرارة محيطية أكثر برودة، فيمكن استبعاد حدوث أضرار بالجهاز حتى درجة حرارة محيطية تبلغ 5 م°.

## التنصيب الفوقي والتحتي والمتجاور

إذا أردت تنصيب جهازي تبريد فوق بعضهما البعض أو بجوار بعضهما البعض، فيجب الحفاظ على مسافة فاصلة بينهما لا تقل عن 150 مم. مع بعض الأجهزة المختارة يمكن إجراء عملية التنصيب دون الالتزام بالحد الأدنى للمسافة. يُرجى الاستفسار عن ذلك من خلال الوكيل المتخصص لديك أو مصمم المطبخ.

## ٣-٤ تركيب الجهاز

- ❖ قم بتركيب الجهاز طبقاً لما ورد بدليل التركيب المرفق.

## ٤-٤ تحضير الجهاز للاستخدام لأول مرة

1. أخرج مواد المعلومات.

## ٣-٦ درج الفاكهة والخضروات

قم بتخزين الفاكهة والخضروات الطازجة في عبوتها في درج الفاكهة والخضروات.

عند حفظ الفاكهة والخضروات المقطعة، قم بتغطيتها أو تغليفها بشكل محكم ضد تسريب الهواء. وفقاً للكمية المخزنة ونوع المواد المخزنة يمكن أن يتكون ماء متكثف في درج الفاكهة والخضروات. قم بإزالة الماء المتكثف بواسطة فوطة جافة.

لكي يتسنى الحفاظ على الجودة واللكهة، قم بتخزين الفاكهة والخضروات الحساسة للبرودة خارج الجهاز في درجات حرارة من حوالي 8 °م حتى 12 °م، مثل الأناناس، الموز، الموالح، الخيار، الكوسة، الفلفل الحلو، الطماطم والبطاطس.

## ٤-٦ درج الزبدة والجبن

قم بتخزين الزبدة والجبن الصلب في درج الزبدة والجبن.

## ٥-٦ رف الباب

لتغيير موضع رف الباب حسب الحاجة، أخرج رف الباب وأعد تركيبه في موضع آخر.  
← "إخراج رف الباب"، الصفحة 38

## ٦-٦ الملحقات

استخدم الملحقات الأصلية. فهي مصممة لتناسب مع جهازك. تتوقف ملحقات جهازك على الطراز.

## رف البيض

قم بتخزين البيض بشكل آمن على رف البيض.

## طبق مكعبات الثلج

استخدم طبق مكعبات الثلج، لعمل مكعبات الثلج.

9 درج الزبدة والجبن  
← الصفحة 32<sup>1</sup>

10 رف الباب للزجاجات الكبيرة  
← الصفحة 32

## ٢-٥ نطاق الاستعمال

اضبط كل وظائف جهازك واحصل على معلومات حول حالة التشغيل عبر لوحة الاستعمال.

← الشكل 2

1 °C يضبط درجة حرارة المجمّد.

2 super يضيء عندما يكون التجميد الفائق مشغلاً.

3 يظهر درجة الحرارة المضبوطة للمجمد بوحدة °م.

4 eco يضيء عندما يكون نمط توفير الطاقة في المجمد مشغلاً.

## ٦ التجهيزات

ويرتبط تجهيز جهازك بالطراز المعني.

## ١-٦ الرف

لتغيير مواضع الأرفف حسب الحاجة، أخرج الرف وأعد تركيبه في موضع آخر.  
← "إخراج الرف"، الصفحة 38

## ٢-٦ درج المجمد

يمكنك في درج التجميد تجميد كميات صغيرة من الطعام، مثل الثوت وقطع الفاكهة والأعشاب والخضروات. قم بتوزيع الطعام المراد تجميده في درج التجميد بالتساوي واتركه يتجمد حوالي 10 إلى 12 ساعة. بعد ذلك قم بوضعها في كيس تجميد أو علبة تجميد.

- تختلف درجة الحرارة في الجهاز حسب الشروط التالية:
- تكرار عمليات فتح الجهاز
- مقدار الحمولة
- درجة حرارة الأطعمة المخزنة حديثاً
- درجة الحرارة المحيطة
- أشعة الشمس المباشرة

### ٣-٧ إيقاف الجهاز

- أفصل الجهاز عن الشبكة الكهربائية.
- اسحب القابس الكهربائي لكابل التيار أو افصل المصهر الموجود في صندوق المصاهر.

### ٤-٧ ضبط درجة الحرارة

#### ضبط درجة حرارة درج التبريد

- لتقليل درجة الحرارة أدر منظم درجة الحرارة إلى اليمين في اتجاه "extra cold".
- اختر وضع الضبط البارد للغاية بشكل مؤقت فقط في حالة تكرار فتح الباب أو قبل إدخال كميات كبيرة من الأطعمة في درج التبريد.
- لرفع درجة الحرارة، أدر منظم درجة الحرارة إلى اليمين في اتجاه "cold".

← الشكل 3

**ملاحظة:** في حالة درجة حرارة للغرفة أعلى من 32 °م اضبط الجهاز على درجة أبرد قليلاً.  
في حالة درجة حرارة للغرفة أقل من 16 °م اضبط الجهاز على درجة أدفاً قليلاً.

#### ضبط درجة حرارة المجمد

- كرر الضغط على °C إلى أن يشير بيان درجة الحرارة إلى وضع ضبط درجة الحرارة المرغوب.
- درجة الحرارة الموصى بها في المجمد تبلغ -18 °م.

## ٨ الوظائف الإضافية

تعرف على الوظائف الإضافية القابلة للضبط التي يحتوي عليها جهازك.

### عمل مكعبات الثلج

لا تستخدم سوى ماء الشرب لصنع مكعبات الثلج.

- املاً طبق مكعبات الثلج حتى ثلاثة أرباعه بماء صالح للشرب ثم ضعه في حيز التجميد.
- قم بفك طبق مكعبات الثلج المجمد بأداة غير حادة، مثل مقبض ملعقة خشبية.

- لفك مكعبات الثلج، ضع طبق مكعبات الثلج تحت الماء لمدة قصيرة، أو قم ببله قليلاً.

## ٧ الاستعمال الأساسي

### ١-٧ تشغيل الجهاز

- قم بتوصيل الجهاز كهربائياً.
- ← الصفحة 31
- وعندئذ يكون الجهاز جاهزاً للتشغيل.
- يبدأ الجهاز في التبريد.
- تصدر إشارة تحذير صوتية ويومض بيان درجة الحرارة، نظراً لأن المجمد مازال دافئاً للغاية.
- أوقف إشارة التحذير الصوتية بواسطة °C.
- اضبط درجة الحرارة المرغوبة.
- ← الصفحة 33

### ٢-٧ إرشادات حول التشغيل

- إذا قمت بتشغيل الجهاز، لا يتم الوصول إلى درجة الحرارة المضبوطة إلا بعد عدة ساعات.
- لا تضع أية أطعمة قبل الوصول إلى درجة الحرارة المضبوطة.
- تتعرض واجهات جسم الجهاز للتسخين قليلاً بين المين والآخر.
- وهذا يمنع تكون الماء بسبب التكثف في منطقة عنصر إحكام الباب.
- يراعى عدم إعاقه الباب بالأطعمة المخزنة عند إغلاق الباب.
- عندما تغلق الباب، يمكن أن يتولد ضغط منخفض، ولا تستطيع فتح الباب مرة أخرى إلا بصعوبة. انتظر لحظة، حتى يتم معادلة الضغط المنخفض.

## ١-٨ التجميد الفائق

مع التجميد الفائق يقوم صندوق التجميد بالتبريد بأقصى أداء تبريد ممكن.

قم بتشغيل التجميد الفائق قبل 4 حتى 6 ساعات من القيام بتخزين كمية أطعمة بدءًا من 2 كجم في المجمد. للاستفادة من قدرة التجميد، استخدم التجميد الفائق.

← "متطلبات قدرة التجميد"، الصفحة 35

**ملاحظة:** عندما يكون التجميد الفائق مشغلاً، قد تتراد أصوات الضجيج.

### قم بتشغيل التجميد الفائق

◀ كرر الضغط على  $C^{\circ}$ ، إلى أن يضيء "super".

**ملاحظة:** بعد حوالي 54 ساعة يتحول الجهاز إلى وضع التشغيل العادي.

### قم بإيقاف التجميد الفائق

◀ كرر الضغط على  $C^{\circ}$ ، إلى أن يشير بيان درجة الحرارة إلى درجة الحرارة المرغوبة.

## ٢-٨ وضع توفير الطاقة

باستخدام وضع توفير الطاقة يمكنك تحويل الجهاز إلى التشغيل الموفر للطاقة.

يقوم الجهاز بتحويل درجات الحرارة أوتوماتيكياً.

| درج التبريد | لم تتغير درجة الحرارة |
|-------------|-----------------------|
| المجمد      | -16 °م                |

### تشغيل وضع توفير الطاقة

◀ كرر الضغط على  $C^{\circ}$ ، إلى أن يضيء "eco".

### إيقاف وضع توفير الطاقة

◀ كرر الضغط على  $C^{\circ}$ ، إلى أن يشير بيان درجة الحرارة إلى درجة الحرارة المرغوبة.

## ٩ الإنذار

### ١-٩ إنذار الباب

عند فتح باب الجهاز لمدة أطول ينطلق إنذار الباب.

وتصدر إشارة تحذير صوتية.

### إطفاء إنذار الباب

◀ أغلق باب الجهاز.

✓ يتم إيقاف إشارة التحذير الصوتية.

### ٢-٩ إنذار درجة الحرارة

عندما تصبح درجة حرارة صندوق التجميد ساخنة جداً، ينطلق إنذار درجة الحرارة.

تصدر إشارة تحذير صوتية ويومض بيان درجة الحرارة.

### ⚠ احترس

#### خطر حدوث أضرار صحية!

عند إذابة التجمد قد تتكاثر البكتيريا، ومن ثم تفسد المواد المجمدة.

◀ لا تقم بإعادة تجميد المواد المذابة.

◀ ولا تقم بتجميدها مجدداً إلا بعد طهوها أو قليها،

◀ وحينها لا تعتمد على مدة التخزين القصوى كاملة.

قد ينطلق إنذار درجة الحرارة في الحالات التالية:

- عند بدء تشغيل الجهاز.
- لا تقم بتخزين المواد الغذائية، إلا بعد الوصول إلى درجة الحرارة المضبوطة.
- عند وضع كمية كبيرة من الأطعمة الطازجة.
- قم بتشغيل التجميد الفائق قبل تخزين كميات كبيرة من الطعام.
- ترك باب صندوق التجميد مفتوحاً لمدة طويلة.
- افحص ما إذا كان يتم إذابة المواد الغذائية المجمدة.

### إطفاء إنذار درجة الحرارة

◀ اضغط على  $C^{\circ}$ .

✓ يتم إيقاف إشارة التحذير الصوتية.

## ١٠ قسم التبريد

يمكنك حفظ اللحم والسجق (النقانق) والسمك ومنتجات الألبان والبيض والأطعمة الجاهزة والمخبوزات في قسم التبريد. يمكن ضبط درجة الحرارة من "cold" حتى "extra cold". يمكنك بواسطة التخزين البارد تخزين الطعام القابل للتلف بسهولة لفترة قصيرة وحتى متوسطة. كلما كانت درجة الحرارة المختارة أكثر انخفاضاً، طالت المدة التي تظل فيها الأطعمة طازجة.

### ١-١٠ نصائح لتخزين الأطعمة في قسم التبريد

- احفظ الأطعمة الطازجة والسليمة فقط.
- احرص على تغليف الأطعمة بشكل محكم ضد تسريب الهواء أو تغطيتها أثناء حفظها.
- لا تضع الأطعمة أمام فتحات التهوية الداخلية أو بجوار الجدار الخلفي مباشرة حتى لا يضعف تدوير الهواء أو تتجمد الأطعمة.
- ينبغي ترك الأطعمة والمشروبات الساخنة لتبرد أولاً.
- يجب مراعاة تاريخ انتهاء الصلاحية أو تاريخ الاستهلاك المحدد من قبل الجهة الصانعة.

### ٢-١٠ النطاقات الباردة في قسم التبريد

من خلال تدوير الهواء في قسم التبريد تنشأ نطاقات باردة مختلفة.

#### أكثر منطقة برودة

تكون المنطقة الأكثر برودة في أعلى رف.

**نصيحة:** قم بتخزين الأطعمة القابلة للتلف بسهولة، مثل السمك والسجق واللحم، في النطاق الأكثر برودة.

## أكثر النطاقات سخونة

النطاق الأقل برودة عند الباب بالأسفل تماماً وفي درج الفاكهة والخضروات السفلي.

**نصيحة:** قم بتخزين الأطعمة غير الحساسة، مثلاً الجبن الصلب والزبدة، في النطاقات الأكثر سخونة. بذلك يمكن للجبن أن يحافظ على رائحته الفواحة، بينما تبقى الزبدة سهلة الفرد.

## ١١ صندوق التجميد

في صندوق التجميد يمكنك تخزين الأغذية المجمدة، وتجميد الطعام وعمل مكعبات الثلج. يمكن ضبط درجة الحرارة على قيمة من  $-16^{\circ}\text{C}$  م حتى  $-24^{\circ}\text{C}$  م. عند تخزين الأطعمة لفترة طويلة ينبغي أن يتم ذلك في درجة حرارة  $-18^{\circ}\text{C}$  م أو أقل. بفضل خاصية تخزين الأطعمة المجمدة يمكن تخزين الأطعمة التي تفسد بسرعة لفترة طويلة. فدرجات الحرارة المنخفضة تبطئ أو توقف فساد الأطعمة.

### ١-١١ قدرة التجميد

تحدد قدرة التجميد كمية الطعام التي يمكن تجميدها حتى باطنها وعدد الساعات اللازمة لذلك. ستجد البيانات الخاصة بأقصى قدرة تجميد على لوحة الصنع. ← "الجهاز"، الشكل 1/4، الصفحة 31

### متطلبات قدرة التجميد

1. قبل حفظ الأطعمة الطازجة بحوالي 24 ساعة، قم بتشغيل التجميد الفائق.
- ← "قم بتشغيل التجميد الفائق"، الصفحة 34
2. احفظ الأطعمة في أدنى درج مجمدات أولاً.

والزبادي والكريمة الحامضة  
والقشدة الطرية والمايونيز.

### تغليف المواد المجمدة

خامة التغليف المناسبة وطريقة  
التغليف الصحيحة من شأنهما الحفاظ  
على جودة المنتج وتجنب حروق  
التجميد.

1. قم بوضع الطعام في الغلاف.
2. قم بالضغط عليها لتفريغ الهواء.
3. أغلق الغلاف بإحكام ضد الهواء، حتى  
لا يفقد الطعام نكهته أو يجف.
4. دوّن على الغلاف محتواه وتاريخ  
تجميده.

### 0-II صلاحية الأطعمة المجمدة في درجة حرارة -18 °م

| المواد الغذائية                                  | فترة التخزين |
|--------------------------------------------------|--------------|
| السمك والنقانق<br>والأطعمة الجاهزة<br>والمخبوزات | حتى 6 شهور   |
| الطيور واللحوم                                   | حتى 8 شهور   |
| الخضروات والفواكه                                | حتى 12 شهرًا |

يبيّن تقويم التجميد المطبوع أقصى  
مدة تخزين بالشهور في ظل درجة  
حرارة ثابتة تبلغ -18 °م.

### 1-II طرق إذابة التجمد عن الأطعمة المجمدة

⚠ احترس

خطر حدوث أضرار صحية!

- عند إذابة التجمد قد تتكاثر البكتيريا،  
ومن ثم تفسد المواد المجمدة.
- لا تقم بإعادة تجميد المواد المذابة.
- ولا تقم بتجميدها مجددًا إلا بعد  
طهوها أو قليها،
- وحينها لا تعتمد على مدة التخزين  
القصوى كاملة.
- قم بإذابة تجمد أغذية الحيوانات  
مثل السمك واللحوم والجبن واللبن  
المخثر في حيز التبريد.
- قم بإذابة تجمد الخبز في درجة  
حرارة الغرفة.

### 2-II استغلال سعة صندوق التجميد بالكامل

تعرف على كيفية وضع الكمية القصوى  
من الطعام المراد تجميده في درج  
التجميد.

1. أخرج جميع أجزاء التجهيزات في درج  
التجميد. ←/الصفحة 38
2. ضع الأطعمة فوق الأرفف وفوق  
أرضية درج التجميد مباشرة.

### 3-II نصائح لتخزين الأطعمة في صندوق التجميد

- احرص على تغليف الأطعمة بشكل  
محكم ضد تسريب الهواء أثناء حفظها.
- عدم ملاصقة الأطعمة المراد  
تجميدها للأطعمة المجمدة.
- قم بتوزيع الأطعمة على درج التجميد  
وفي حاوية المجمد على مساحة  
كبيرة.
- حتى يتم تدوير الهواء دون إعاقة  
في الجهاز، قم بإدخال حاوية  
المجمدات حتى النهاية.

### 4-II نصائح حول تجميد الأطعمة الطازجة

- احرص على تجميد الأطعمة الطازجة  
والسليمة فقط.
- قم بتجميد الأطعمة شيئًا فشيئًا.
- الأطعمة الجاهزة تكون أنسب من  
الأطعمة التي يمكن تناولها نيئة.
- قم بغسل الخضروات وتقطيعها  
وسلقها قبل التجميد.
- قبل التجميد، قم بغسل الفاكهة  
ونزع بذورها وتفشيرها حسب اللزوم  
وإضافة السكر أو مادة حمض  
الأسكوربيك.
- من الأطعمة المناسبة للتجميد  
المخبوزات واللحوم والمأكولات  
البحرية واللحوم البرية والطيور  
والبيض بدون قشرة والجبن  
والزبدة واللبن المخثر والوجبات  
الجاهزة وبقايا الأطعمة.
- من الأطعمة غير المناسبة للتجميد  
الخبز والفجل والبيض بقشرته  
والعنب والتفاح النيئ والكمثرى

- قم بتحضير الأطعمة في الميكروويف أو في الفرن أو على الموقد لتناولها على الفور.

## ١٢ إذابة التجمد

### ١٠-١٢ إذابة التجمد في قسم التبريد

صندوق التبريد في جهازك يقوم بإذابة التجمد أوتوماتيكياً.

### ٢-١٢ إذابة التجمد في صندوق التجميد

بفضل نظام NoFrost الأوتوماتيكي بالكامل يبقى المجمّد خالياً من الثلج. وبالتالي ليس هناك حاجة لإذابة التجمد.

## ١٣ التنظيف والعناية

يجب أن يتم تنظيف المواضع التي يصعب الوصول إليها، عن طريق خدمة العملاء. يمكن أن يكلف التنظيف عبر خدمة العملاء نفقات مالية.

### ١-١٣ تحضير الجهاز للتنظيف

1. افصل الجهاز عن الشبكة الكهربائية. اسحب القابس الكهربائي لكابل التيار أو افصل المصهر الموجود في صندوق المصاهر.
2. أخرج جميع الأطعمة وقم بتخزينها في مكان بارد.
3. ضع مراكم البرودة، إن وُجدت، على الأطعمة.
- أخرج جميع أجزاء التجهيزات وأجزاء الكماليات من الجهاز. ←الصفحة 38

## ٢-١٣ تنظيف الجهاز

### ⚠ تحذير

#### خطر الصعق الكهربائي!

الرطوبة المتوقعة في الجهاز قد تسبب صدمة كهربائية.

- ▶ لا تستخدم أجهزة تنظيف بالضغط العالي أو أجهزة تنظيف بالبخار، كي تنظف الجهاز.
- وصول سوائل إلى الإضاءة أو عناصر الاستعمال أو إلى فتحات التهوية الداخلية قد يكون خطيراً.
- ▶ يحظر وصول ماء الشطف إلى الإضاءة أو عناصر الاستعمال أو فتحات التهوية الداخلية.

### تنبيه

- المنظفات غير المناسبة يمكن أن تضر بسطح الجهاز.
- ▶ لا تستخدم وسائل حادة أو قطع إسفنجية خشنة.
- ▶ لا تستخدم منظفات خادشة أو مواد تنظيف حادة.
- ▶ لا تستخدم أية منظفات قوية تحتوي على الكحول.
- عندما تقوم بتنظيف أجزاء التجهيزات والملحقات في غسالة الأواني، فإنها يمكن أن تتشوه أو يتغير لونها.
- ▶ لا تقم أبداً بتنظيف أجزاء التجهيزات والملحقات في غسالة الأواني.
- 1. قم بتحضير الجهاز للتنظيف. ←الصفحة 37
- 2. قم بتنظيف الجهاز وأجزاء التجهيزات وأجزاء الكماليات وعناصر إحكام الباب باستخدام فوطة أواني وماء فاتر وقدر من مادة تنظيف متعادلة الأس الهيدروجيني.
- 3. قم بالتجفيف جيداً بعد ذلك باستخدام فوطة ناعمة وجافة.
- 4. أدخل أجزاء التجهيزات.
- 5. قم بتوصيل الجهاز كهربائياً. ←الصفحة 12
- 6. قم بوضع الأطعمة.

### ٣-١٣ إخراج أجزاء التجهيزات

عندما تريد تنظيف أجزاء التجهيزات جيداً، اخلعها من جهازك.

#### إخراج الرف

▲ ارفع الرف للأمام ①، واسحب للخارج، ثم اخلعه ②.

← الشكل 4

#### إخراج رف الباب

▲ ارفع رف الباب واخلعه.

← الشكل 5

#### إخراج درج الفاكهة والخضروات

1. اسحب درج الفاكهة والخضروات للخارج حتى النهاية.

2. ارفع حاوية الفاكهة والخضروات من الأمام ① ثم اخلعها ②.

← الشكل 6

#### إخراج درج المجمد

1. اسحب درج المجمد للخارج حتى النهاية.

2. ارفع درج المجمد من الأمام ① وأخرجه ②.

← الشكل 7

#### إخراج حاوية المجمدات

1. اسحب حاوية المجمدات للخارج حتى النهاية.

2. ارفع حاوية المجمدات من الأمام ① وأخرجها ②.

← الشكل 8

#### خلع واجهة الوعاء

يمكنك خلع واجهة درج الفاكهة والخضروات للتنظيف بشكل أفضل.

▲ اضغط خطافات التثبيت الإطباقي الجانبية للوعاء ① واخلع واجهة الوعاء من خلال تحريك الوعاء حركة دوارة ②.

← الشكل 9

## ١٤ التغلب على الاختلالات

يمكنك أن تقوم بنفسك بإصلاح الأعطال البسيطة بجهازك. اقرأ معلومات التغلب على الأعطال قبل الاتصال بخدمة ما بعد البيع. حيث يجنبك ذلك أية تكاليف غير ضرورية.

### ⚠ تحذير

#### خطر الصعق الكهربائي!

تنطوي أعمال الإصلاح غير السليمة فنيًا على أخطار.

▲ وحدهم أفراد الطاقم الفني المدربون من أجل ذلك يُسمح لهم بإجراء إصلاحات على الجهاز.

▲ لا يُسمح إلا باستخدام قطع الغيار الأصلية لإصلاح الجهاز.

▲ إذا كان كابل الكهرباء لهذا الجهاز متضرراً، يجب تغييره من قبل الجهة الصانعة أو مركز خدمة العملاء التابع لها أو من قبل فني مؤهل بشكل مماثل، وذلك لتجنب المخاطر.

| العطل                                                  | السبب والتغلب على الأعطال                                        |
|--------------------------------------------------------|------------------------------------------------------------------|
| الجهاز لا يبزّد، بينما الشاشة وتجهيزة الإضاءة مضيئتان. | نمط العرض مشغّل.                                                 |
|                                                        | 1. استمر في الضغط على <b>C</b> لمدة 5 ثوان حتى تصدر إشارة صوتية. |
|                                                        | 2. أطفئ الجهاز وأعد تشغيله وتحقق من تبريد الجهاز.                |

| العطل                                                | السبب والتغلب على الأعطال                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| إضاءة LED لا تعمل.                                   | <p>أسباب مختلفة ممكنة.</p> <ul style="list-style-type: none"> <li>اتصل بخدمة العملاء.</li> <li>تجد رقم خدمة العملاء في دليل مراكز خدمة العملاء المرفق.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                |
| ماكينة التبريد تعمل بوتيرة أكثر تكرارًا ولمدة أطول.  | <p>تم فتح الجهاز كثيرًا.</p> <ul style="list-style-type: none"> <li>لا تفتح باب الجهاز دون داع.</li> <li>فتحات التهوية الخارجية مسدودة.</li> <li>قم بإزالة أية عوائق موجودة أمام فتحات التهوية الخارجية.</li> </ul>                                                                                                                                                                                                                                                                                                                                                              |
|                                                      | <p>لا يوجد خطأ. تعمل أجهزة التبريد العصرية تلقائيًا وتتمتع بدرجات قدرة مختلفة للتبريد بفعالية أكبر.</p>  <ul style="list-style-type: none"> <li>قم بإزالة أية عوائق موجودة أمام فتحات التهوية الخارجية.</li> <li>احرص على تنصيب الجهاز أبعد ما يمكن عن عناصر التسخين أو الموقد أو مصادر الحرارة الأخرى. تجنب تعريض الجهاز فترة طويلة لأشعة الشمس المباشرة.</li> <li>لا تفتح باب الجهاز إلا لفترة قصيرة، حسب الحاجة.</li> <li>اترك الأطعمة والمشروبات الساخنة تبرد أولًا قبل تخزينها.</li> </ul> |
| تتكون طبقة من الصقيع على الجدار الخلفي لدرج التبريد. | <p>لا يوجد خطأ. وتضمن أجهزة التبريد العصرية توفير درجة حرارة متساوية في درج التبريد. يتم إذابة تجمد الجدار الخلفي لدرج التبريد تلقائيًا بانتظام.</p>  <ul style="list-style-type: none"> <li>لا تفتح باب الجهاز إلا لفترة قصيرة، حسب الحاجة.</li> <li>احرص على تغليف الأطعمة أو تغطيتها لمنع دخول الهواء.</li> <li>اترك الأطعمة والمشروبات الساخنة تبرد أولًا قبل تخزينها.</li> <li>اترك دائمًا مسافة بين الأطعمة والجدران الخلفية.</li> </ul>                                                 |
| الجدران الجانبية للجهاز ساخنة.                       | <p>لا يوجد خطأ. تمر أنابيب عبر الجدران الجانبية، وهي تسخن أثناء عملية التبريد. الأثاث الذي يلامس الجهاز لا يتضرر بسبب الحرارة.</p> <p>لا داع لاتخاذ تصرف.</p>                                                                                                                                                                                                                                                                                                                                                                                                                    |
| تصدر إشارة تحذير صوتية. إنذار الباب مشغل.            | <p>باب الجهاز مفتوح.</p> <ul style="list-style-type: none"> <li>أغلق باب الجهاز.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

| العطل                                                                                      | السبب والتغلب على الأعطال                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| تصدر إشارة تحذير صوتية ويومض بيان درجة الحرارة. إنذار درجة الحرارة مشغل.                   | أسباب مختلفة ممكنة.<br><ul style="list-style-type: none"> <li>❖ اضغط على °C.</li> <li>✓ يتم إيقاف الإنذار.</li> </ul> فتحات التهوية الخارجية مسدودة.<br><ul style="list-style-type: none"> <li>❖ قم بإزالة أية عوائق موجودة أمام فتحات التهوية الخارجية.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                        |
| لم يتم الوصول إلى درجة الحرارة المضبوطة. خاصية إذابة التجمد الأوتوماتيكية بالكامل لا تعمل. | تم وضع كمية كبيرة من الأطعمة الطازجة.<br><ul style="list-style-type: none"> <li>❖ لا تتجاوز أقصى قدرة تجميد.</li> <li>← "قدرة التجميد"، الصفحة 35</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                                                                                            | تم ترك باب صندوق التجميد مفتوحاً لفترة طويلة. جهاز التبخير (مولد البرودة) في نظام NoFrost متجمد بشدة.<br><b>الشرط الأساسي:</b> تم تخزين الطعام المجمد بشكل جيد في مكان بارد.<br><ol style="list-style-type: none"> <li>1. قم بإيقاف الجهاز. ←/الصفحة 33</li> <li>2. افصل الجهاز عن الشبكة الكهربائية.</li> </ol> أسحب القابس الكهربائي لكابل توصيل التيار من المقبس أو افصل المصهر الموجود في صندوق المصاهر.<br><ol style="list-style-type: none"> <li>3. أبعاد الجهاز عن الحائط.</li> <li>4. اترك باب الجهاز مفتوحاً.</li> </ol> ✓ بعد حوالي 20 دقيقة يبدأ الماء المذاب بالسيلان في صينية التبخير على الجهة الخلفية للجهاز.<br>←/الشكل 10 |
|                                                                                            | 5. لمنع زيادة الماء على صينية التبخير في هذه الحالة قم بالتقاط الماء المذاب بواسطة إسفنجة.<br>يكون قد تم إذابة التجمد عن جهاز التبخير عند توقف سيلان الماء المذاب في صينية التبخير.<br><ol style="list-style-type: none"> <li>6. قم بتنظيف الحيز الداخلي للجهاز. ←/الصفحة 37</li> <li>7. أعد تشغيل الجهاز. ←/الصفحة 33</li> </ol>                                                                                                                                                                                                                                                                                                          |
| درجة الحرارة تختلف كثيراً عن وضع الضبط.                                                    | أسباب مختلفة ممكنة.<br><ol style="list-style-type: none"> <li>1. قم بإيقاف الجهاز. ←/الصفحة 33</li> <li>2. أعد تشغيل الجهاز بعد حوالي 5 دقائق. ←/الصفحة 33</li> </ol> <ul style="list-style-type: none"> <li>❖ عندما تكون درجة الحرارة مرتفعة جداً، تحقق من درجة الحرارة مجدداً بعد بضع ساعات.</li> <li>❖ عندما تكون درجة الحرارة باردة جداً، تحقق من درجة الحرارة مجدداً في اليوم التالي.</li> </ul>                                                                                                                                                                                                                                      |
| يتكون ماء متكثف على سطح الجهاز والأرفف في الجهاز.                                          | يتكثف الماء المحتوي على هواء دافئ ورطب على الأسطح الباردة.<br><ol style="list-style-type: none"> <li>1. امسح الماء الناتج عن إذابة التجمد باستخدام قطعة قماش ناعمة وجافة.</li> <li>2. افتح الجهاز قليلاً قدر الإمكان.</li> <li>3. تأكد أن الجهاز مغلق دائماً بصورة صحيحة.</li> </ol>                                                                                                                                                                                                                                                                                                                                                       |

| العطل                                                                             | السبب والتغلب على الأعطال                                                                                                                                                                               |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| الجهاز يصدر صوت أزيز أو بقللة أو زن أو بقبقة أو طقطقة أو طرقعة.                   | لا يوجد خطأ. محرك يعمل، مثلاً جهاز التبريد، المروحة. مادة التبريد تتدفق عبر الأنابيب. يتم تشغيل أو إيقاف المحرك أو المفتاح أو الصمامات المغناطيسية. يتم إذابة التجمد أو توماتيكياً. لا داع لاتخاذ تصرف. |
| الجهاز يصدر أصوات ضجيج.                                                           | الجهاز في وضعية غير مستوية. قم بمحاذاة الجهاز باستخدام ميزان ماء والأقدام ذات المسامير الحلزونية.                                                                                                       |
|  | الجهاز ليس منفصل. التزم بالحد الأدنى للمسافات الفاصلة للجهاز.                                                                                                                                           |
|                                                                                   | أجزاء التجهيزات ترتج أو تنحصر.                                                                                                                                                                          |
|                                                                                   | افحص أجزاء التجهيزات القابلة للفك وقم بتركيبها من جديد حسب الحالة.                                                                                                                                      |
|                                                                                   | الزجاجات أو الأواني تتلامس.                                                                                                                                                                             |
|                                                                                   | أبعد الزجاجات أو الأواني عن بعضها.                                                                                                                                                                      |
|                                                                                   | التجميد الفائق مشغل.                                                                                                                                                                                    |
|                                                                                   | لا داع لاتخاذ تصرف.                                                                                                                                                                                     |

## ١٥ التخزين والتخلص

### ١-١٥ إخراج الجهاز من الخدمة

1. افصل الجهاز عن الشبكة الكهربائية. اسحب القابس الكهربائي لكابل التيار أو افصل المصهر الموجود في صندوق المصاهر.
2. أخرج جميع الأطعمة.
3. قم بتنظيف الجهاز. ←/الصفحة 37
4. اترك الجهاز مفتوحاً لضمان تهوية الحيز الداخلي.

### ٢-١٥ التخلص من الجهاز القديم

يمكن إعادة تدوير المواد الخام الثمينة من خلال التخلص من الجهاز بطريقة تحافظ على البيئة.

#### ⚠ تحذير

#### خطر حدوث أضرار صحية!

يمكن أن يتعرض الأطفال للاحتجاز داخل الجهاز وتكون هناك خطورة على حياتهم.

- تجنباً لتسلل الأطفال للداخل لا تقم بسحب الأرفف والحاويات من الجهاز.

### ١٤-١ انقطاع التيار الكهربائي

ترتفع درجة الحرارة في الجهاز أثناء انقطاع الكهرباء وبالتالي تقل مدة التخزين وتنخفض جودة الأطعمة المجمدة. من خلال موقعنا الإلكتروني الخاص بجهازك سوف تتعرف في البيانات الفنية على مدة تخزين المواد المجمدة عند حدوث أعطال.

#### ملاحظات

- لا تفتح الجهاز إلا بأقل ما يمكن ولا تقم بتخزين أطعمة أخرى.
- تحقق من جودة الأطعمة فور انقطاع الكهرباء.
- تخلص من الأطعمة المجمدة التي ذاب تجمدها وكانت درجة حرارتها أعلى من 5°م.
- قم بطهي الأطعمة المجمدة المذاب تجمدها قليلاً أو قم بتحميرها وتناولها أو أعد تجميدها.

وشروط الضمان أو على موقعنا الإلكتروني.

## ١-١٦ رقم المنتج (E-Nr.) ورقم الصنع (FD)

عندما تتواصل مع خدمة العملاء، سوف تكون بحاجة إلى رقم المنتج (E-Nr.) ورقم الصنع (FD)، اللذين تجدهما على لوحة الصنع للجهاز.

← "الجهاز"، الشكل 1/4 الصفحة 31  
كي تجد بيانات جهازك ورقم هاتف خدمة العملاء مجددًا بسرعة، يمكنك تدوين البيانات.

## ١٧ البيانات التقنية

تجد المعلومات حول مادة التبريد والسعة الصافية وغير ذلك من البيانات الفنية على لوحة الصنع.

← "الجهاز"، الشكل 1/4 الصفحة 31

◀ احرص على بقاء الأطفال بعيدًا عن الجهاز التالف.

### ⚠ تحذير

#### خطر نشوب حريق!

في حالة حدوث ضرر بالمواسير يمكن أن تتسرب مادة تبريد قابلة للاشتعال وغازات ضارة وتشتعل.

◀ احرص على عدم إلحاق أضرار بأنابيب دورة التبريد أو العازل.

1. انزع القابس الكهربائي من كابل الكهرباء.
2. اقطع كابل الكهرباء.
3. تخلص من الجهاز بطريقة لا تضر بالبيئة.

يمكنك الحصول على المعلومات الخاصة بأحدث سبل التخلص من المخلفات لدى تاجرِكَ المتخصص أو لدى إدارة البلدية أو المدينة التي تتبع لها.

## ١٦ خدمة العملاء

يمكن الحصول على قطع غيار أصلية ذات صلة بالوظيفة وفقًا لتوجيهات التصميم الإيكولوجي ذات الصلة من خدمة العملاء لمدة 10 سنوات على الأقل من تاريخ استلام العميل للسلعة أو تاريخ تفعيل الضمان للسلع التي تحتاج إلى تركيب أو تشغيل<sup>1</sup>

وللحصول على معلومات تفصيلية عن فترة الضمان وشروط الضمان في بلدك، يُرجى استخدام رمز الاستجابة السريعة الموجود على المستند المرفق بشأن جهات اتصال الخدمة وشروط الضمان، أو الاتصال بخدمة العملاء أو الموزع لديك أو زيارة موقعنا الإلكتروني.

ويمكن الحصول على بيانات الاتصال بخدمة العملاء عبر رمز الاستجابة السريعة الموجود على المستند المرفق بشأن جهات اتصال الخدمة

<sup>1</sup> يسري على مصر



A series of horizontal lines for writing, starting with a solid line and followed by alternating solid and dashed lines.



# Many thanks for choosing a Bosch home appliance!

Register your new appliance now on MyBosch and benefit directly from:

- **Expert advice and tips to make the most of your appliance**
- **Options for warranty extension**
- **Discounts on spare parts and accessories**
- **Digital information for use and all appliance data to hand**
- **Easy access to Bosch Home Appliance Service**

Simple to register, free of charge – including on mobile devices:

**[www.bosch-home.com/welcome](http://www.bosch-home.com/welcome)**



## Need some help? You can find it here.

Expert advice on your Bosch home appliances, help with problems or repairs by professionals from Bosch.

Discover all the different ways Bosch can assist you:

**[www.bosch-home.com/service](http://www.bosch-home.com/service)**

The contact details of all countries are listed in the attached service directory.

### **BSH Hausgeräte GmbH**

Carl-Wery-Straße 34  
81739 München, GERMANY  
[www.bosch-home.com](http://www.bosch-home.com)

A Bosch Company



**9001865016** (051120)

en, ar