
MSA I 5G3F IX

12NC: 859991587540

GTIN (EAN) code: 8003437604256







Whirlpool built in gas oven: inox color - MSA I 5G3F IX

This Whirlpool built in Oven features: gas power supply.

Absolute aesthetic

The Absolute collection. Admire the beauty of performance. With a futuristic design and unparalleled performance, the Absolute collection is designed for modern, high-tech kitchens. Equipped with innovative 6TH SENSE technology, Absolute ovens can be set in three simple steps for perfect results. Maximum flexibility and ease of use with a distinctive look and original finishes.

Electronic control

Electronic temperature control.

XXL cavity

All the space you need. The XXL cavity in your oven has a capacity of 75 litres with 5 different shelf positions available.

Energy class

Outstanding energy savings. Ovens with an A/ A+ energy rating offer an excellent level of energy efficiency, ensuring lower consumption and saving you money on your energy bills.

Energy class A

Energy efficient. With its A energy rating, this Whirlpool appliance will allow you to enjoy both ideal performance and excellent energy consumption.

- Energy class A
- Cavity 97 L
- Turbo Fan
- Grill
- Easy Clean Enamel Interior
- Fast Pre-Heating
- Metal handle
- Door Glasses Number: 2
- Protuding handle
- Grill 2700 W
- 2 Grids
- 1 Tray
- Motorized Turn Spit
- Mechanic programmer
- Europe Grey Glass and Inox Bottom Front Trim
- Dimensions HxWxD: 576x865x565 mm
- Product Segment: Absolute Inox

MSA I 5G3F IX

12NC: 859991587540

GTIN (EAN) code: 8003437604256



SENSING THE DIFFERENCE

Construction typeBuilt-inType of controlElectronicType of control settings-Are any hobs controls integrated?NoWhich kind of hobs can be controlled?-Automatic programmesNoCurrent (A)0Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)125Plug typeNoDepth with open door 90 degree (mm)-Height of the product865Width of the product865Depth of the product height0Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)52.8Usable volume (of cavity)97Integrated Cleaning systemNoGrids of the cavity2	MAIN FEATURES		
Main colour of product Inox Construction type Built-in Type of control Electronic Type of control settings - Are any hobs controls integrated? No Which kind of hobs can be controlled? - Automatic programmes No Current (A) 0 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 125 Plug type No Depth with open door 90 degree (mm) - Height of the product 576 Width of the product 865 Depth of the product 565 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Niche depth 0 Net weight (kg) 52.8 Usable volume (of cavity) 97 Integrated Cleaning system No Grids of the cavity 2	Product group	Oven	
Construction typeBuilt-inType of controlElectronicType of control settings-Are any hobs controls integrated?NoWhich kind of hobs can be controlled?-Automatic programmesNoCurrent (A)0Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)125Plug typeNoDepth with open door 90 degree (mm)-Height of the product865Width of the product865Depth of the product height0Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)52.8Usable volume (of cavity)97Integrated Cleaning systemNoGrids of the cavity2	Commercial code	MSA I 5G3F IX	
Type of control Electronic Type of control settings - Are any hobs controls integrated? No Which kind of hobs can be controlled? - Automatic programmes No Current (A) 0 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 125 Plug type No Depth with open door 90 degree (mm) - Height of the product 576 Width of the product 865 Depth of the product 565 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Niche depth 0 Net weight (kg) 52.8 Usable volume (of cavity) 97 Integrated Cleaning system No Grids of the cavity 2	Main colour of product	Inox	
Type of control settings	Construction type	Built-in	
Are any hobs controls integrated? No Which kind of hobs can be controlled? Automatic programmes No Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Depth with open door 90 degree (mm) Height of the product Width of the product Soff Width of the product Soff Minimum niche height No	Type of control	Electronic	
Which kind of hobs can be controlled? - Automatic programmes No Current (A) 0 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 125 Plug type No Depth with open door 90 degree (mm) - Height of the product 576 Width of the product 865 Depth of the product 565 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 52.8 Usable volume (of cavity) 97 Integrated Cleaning system No Grids of the cavity 2	Type of control settings	-	
Automatic programmes No Current (A) 0 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 125 Plug type No Depth with open door 90 degree (mm) - Height of the product 865 Width of the product 865 Depth of the product 565 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 52.8 Usable volume (of cavity) 97 Integrated Cleaning system No Grids of the cavity 2	Are any hobs controls integrated?	No	
Current (A) 0 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 125 Plug type No Depth with open door 90 degree (mm) - Height of the product 576 Width of the product 865 Depth of the product 565 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 52.8 Usable volume (of cavity) 97 Integrated Cleaning system No Grids of the cavity 2	Which kind of hobs can be controlled?	-	
Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 125 Plug type No Depth with open door 90 degree (mm) - Height of the product 576 Width of the product 865 Depth of the product 565 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 52.8 Usable volume (of cavity) 97 Integrated Cleaning system No Grids of the cavity 2	Automatic programmes	No	
Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 125 Plug type No Depth with open door 90 degree (mm) - Height of the product 576 Width of the product 565 Depth of the product 565 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 52.8 Usable volume (of cavity) 97 Integrated Cleaning system No Grids of the cavity 125	Current (A)	0	
Length of Electrical Supply Cord (cm)125Plug typeNoDepth with open door 90 degree (mm)-Height of the product576Width of the product865Depth of the product565Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)52.8Usable volume (of cavity)97Integrated Cleaning systemNoGrids of the cavity2	Voltage (V)	220-240	
Plug typeNoDepth with open door 90 degree (mm)-Height of the product576Width of the product865Depth of the product565Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)52.8Usable volume (of cavity)97Integrated Cleaning systemNoGrids of the cavity2	Frequency (Hz)	50/60	
Depth with open door 90 degree (mm) Height of the product Width of the product Septh of the product Depth of the product Minimum niche height Minimum niche width Note depth Net weight (kg) Usable volume (of cavity) Integrated Cleaning system Grids of the cavity Septh of the product Septh of the	Length of Electrical Supply Cord (cm)	125	
Height of the product 576 Width of the product 865 Depth of the product 565 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 52.8 Usable volume (of cavity) 97 Integrated Cleaning system No Grids of the cavity 2	Plug type	No	
Width of the product 865 Depth of the product 565 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 52.8 Usable volume (of cavity) 97 Integrated Cleaning system No Grids of the cavity 2	Depth with open door 90 degree (mm)	-	
Depth of the product 565 Minimum niche height 0 Minimum niche width 0 Niche depth 0 Net weight (kg) 52.8 Usable volume (of cavity) 97 Integrated Cleaning system No Grids of the cavity 2	Height of the product	576	
Minimum niche height Minimum niche width Niche depth Net weight (kg) Usable volume (of cavity) Integrated Cleaning system Grids of the cavity 10 10 10 10 10 10 10 10 10 1	Width of the product	865	
Minimum niche width 0 Niche depth 0 Net weight (kg) 52.8 Usable volume (of cavity) 97 Integrated Cleaning system No Grids of the cavity 2	Depth of the product	565	
Niche depth 0 Net weight (kg) 52.8 Usable volume (of cavity) 97 Integrated Cleaning system No Grids of the cavity 2	Minimum niche height	0	
Net weight (kg) 52.8 Usable volume (of cavity) 97 Integrated Cleaning system No Grids of the cavity 2	Minimum niche width	0	
Usable volume (of cavity) 97 Integrated Cleaning system No Grids of the cavity 2	Niche depth	0	
Integrated Cleaning system No Grids of the cavity 2	Net weight (kg)	52.8	
Grids of the cavity 2	Usable volume (of cavity)	97	
·	Integrated Cleaning system	No	
Trays 1	Grids of the cavity	2	
	Trays	1	

TECHNICAL FEATURES	
Timer	Yes
Time control	Mechanical
Time-setting options	Start and Stop
Safety device	-
Interior light	Yes
Number of interior lights of the cavity	2
Position of interior lights of the cavity	Rear
Oven guides of the cavity	Grids
Probe of the cavity	No

PERFORMANCES		
Energy input	Gas	
Type of energy of the cavity	Gas	
Energy efficiency class - NEW (2010/30/EU)	A	
Energy consumption per cycle conventional - NEW (2010/30/EU)	260	
Energy consumption per cycle forced air convection - NEW (2010/30/EU)	2.59	

