


Serie | 6, Gas hob, 75 cm, Tempered glass PPQ7A6B20



Optional accessories

HEZ211310 : Simmer cap
HEZ298105 : Simmer plate
HEZ298114 : Small pot support
HEZ298127 : Wok ring

The tempered-glass gas hob with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

- **FlameSelect:** for a precise adjustment of the flame in nine defined levels.
- **Wok burner:** powerful cooking at up to 4 kW (depending on gas type).
- **Standard and semi-flush built-in option:** choose between flush or slightly raised installation.
- **Single cast-iron pan supports:** for high firmness and easy handling.
- **Biomethane ready:** Your gas hob can also be powered with renewable biomethane gas.

Technical Data

Product name/family :	gas hob w integrated controls
Construction type :	Built-in
Energy input :	Gas
Total number of positions that can be used at the same time :	5
Type of control setting devices :	sword knobs
Required niche size for installation (HxWxD) :	45 x 560-562 x 480-492
Width of the appliance :	752
Dimensions :	45 x 752 x 520
Dimensions of the packed product (HxWxD) (mm) :	145 x 793 x 597
Net weight (kg) :	18.045
Gross weight (kg) :	19.5
Residual heat indicator :	without
Location of control panel :	Hob front
Basic surface material :	Tempered glass
Color of surface :	Black
Color of frame :	Black
Approval certificates :	CE, Eurasian, Ukraine
Length electrical supply cord (cm) :	100
Knob Material :	Plastic
Sealed Burners :	No
Connection Rating (W) :	1
Gas connection rating (W) :	11500
Current (A) :	3
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Main colour of product :	Black
Energy input :	Gas
Gas type :	Nat gas H/E/(L) 20 (25) mbar
Alternative gas type :	Liquid gas G30,31 28-30/37mbar
Approval certificates :	CE, Eurasian, Ukraine
Plug type :	no plug
Appliance Dimensions (h x w x d) (in) :	+ x x
Dimensions of the packed product (in) :	5.70 x 23.50 x 31.22
Net weight (lbs) :	40.000
Gross weight (lbs) :	43.000
Total number of positions that can be used at the same time :	5
Length electrical supply cord (cm) :	100
Required niche size for installation (HxWxD) :	45 x 560-562 x 480-492
Dimensions :	45 x 752 x 520
Dimensions of the packed product (HxWxD) (mm) :	145 x 793 x 597
Net weight (kg) :	18.045
Gross weight (kg) :	19.5



Serie | 6, Gas hob, 75 cm, Tempered glass PPQ7A6B20

**The tempered-glass gas hob with
FlameSelect: achieve perfect cooking results
thanks to nine precisely defined power
levels.**

Design:

- Tempered glass hob black
- Flush or slightly raised installation.

Comfort:

- FlameSelect
- Sword control knobs
- 1 Hand ignition
- Cast iron single pan supports

Power and size:

- 5 Gas burners
- Wok burner
- 1 rapid, 2 standard, 1 economy, 1 wok burner
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: Rapid burner up to 3 KW (depending on gas type)
- Center: Wok burner up to 4 KW (depending on gas type)
- Left front: Economy burner up to 1 KW (depending on gas type)
- Right front: Standard burner up to 1.75 KW (depending on gas type)

Environment+safety:

- Flame failure safety device
- Preset for natural gas (20mbar). Also usable for Natural gas L 25 mbar (NL)
Nat gas L/LL G25/20mbar(DE)
NG H/E 20mbar, E+ 20/25mbar
Natural gas H 25 mbar (HU)
Liquid gas G30,31 28-30/37mbar
Liquid gas G30 37 mbar (PL)
Liquid gas 50 mbar
. For the use of these gas types nozzles need to be changed.
Please check if the required nozzles are included (see Accessories).

Measurements:

- Power cord length 1m

Accessories

- Nozzle set for Liquid gas nozzles (28-30/37mbar) included.
Nozzles for all other gas types can be ordered via the customer service.

Serie | 6, Gas hob, 75 cm, Tempered glass PPQ7A6B20

