


**Series 6, free-standing dishwasher, 60 cm,
Brushed steel anti-fingerprint
SMS6EMI65Q**

measurements in mm



socket
() values with extension kit

Series 6, free-standing dishwasher, 60 cm, Brushed steel anti-fingerprint SMS6EMI65Q

Better drying performance with the connected dishwasher for smart remote control.

BOSCH - Header 7

- Product dimensions (HxWxD): 84.5 x 60 x 60 cm

BOSCH - Header 8

1 The availability of the Home Connect functionality depends on the availability of the Home Connect Services in your country. Home Connect Services are not available in every country – for further information; please check: www.home-connect.com

** Please find warranty terms under [please insert here the local URL (internet address, e.g. <https://www.bosch-home.com/> but with the direct page with the warranty terms)*

BOSCH - Header 1

- Energy Efficiency Class: A++ (on an Energy Efficiency Class scale from A+++ to D)
- Noise level (Silence 50°C programme): 42 dB(A) re 1 pW
- Connectivity: Wi-Fi ¹

BOSCH - Header 2

- 7 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Quick L 65 °C, Quick S 45 °C, Delicate 40 °C, Night Program
- 6 special options: Remote Start, Intensive Zone, Half Load, Hygiene+, Pretreatment, Pretreatment
- Silence on Demand (Quiet now) (via app)

BOSCH - Header 3

- AquaSensor
- DosageAssist
- EcoSilence Drive
- Detergent Automation
- Self-cleaning filter system with 3-fold corrugated filter
- Interior tub material: Stainless Steel

BOSCH - Header 4

- VarioDrawer
- Low friction wheels on bottom basket and 3rd loading level
- Rack Stopper to prevent derailing of bottom basket
- Rackmatic height-adjustable top basket (3 stage)
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- 2 cup shelves in top basket

BOSCH - Header 5

- Panel legend: Plain text (english)
- Remaining programme time indicator (min)
- Electronic delay timer: 1-24 hours
- AntiFingerprint surface coating

BOSCH - Header 6

- AquaStop: Bosch warranty in case of water damage – for the lifetime of the appliance.*
- Precise glass protection technology
- incl. Salt filling funnel

**Series 6, free-standing dishwasher,
60 cm, Brushed steel anti-fingerprint
SMS6EMI65Q**



**Better drying performance with the
connected dishwasher for smart remote
control.**

- Remarquablement silencieux (44 dBA)
- Remote control allows you to control your dishwasher via Home Connect App wherever and whenever you want.
- Remote monitoring enables you to track your dishwasher via Home Connect app wherever and whenever you want.
- Speed on Demand provides perfect cleaning results with reduced washing time even after the cycle starts.
- Tab Counter enables you to track your remaining dishwasher tablets and notifies when they run low.

Technical Data

Cleaning performance : A
 Water consumption : 6.7 l
 Total annual energy consumption 220 days : 202 kWh
 Total annual water consumption 220 days : 1474 l
 Built-in / Free-standing : Free-standing
 Removable top : Yes
 Door panel options : Not possible
 Height of removable worktop : 30 mm
 Height of the appliance : 845 mm
 Adjustable feet : Yes - all
 Maximum adjustability feet : 20 mm
 Adjustable plinth : No
 Net weight : 53.2 kg
 Gross weight : 54.4 kg
 Connection Rating : 2400 W
 Fuse protection : 10 A
 Voltage : 220-240 V
 Frequency : 50; 60 Hz
 Length electrical supply cord : 175.0 cm
 Plug type : GARDY plug w/ earthing
 Length inlet hose : 165 cm
 Length outlet hose : 190 cm
 Hidden heating element : Yes
 Water protection system description : Triple water protection
 24h
 Child safety devices : Electr. lock panel
 Water softener : Yes
 Top basket type : Maximum loading flexibility
 Adjustable upper basket : Rackmatic 3-stage
 Bottom basket type : mid
 3rd Rack : 3rd Rack 1.0
 Optional accessories : SGZ1010
 Included accessories : no
 Number of place settings : 13
 Color / Material panel : Stainless steel colour, lacqu.
 Color / Material body : Brushed steel anti-fingerprint
 Color / Material top : Stainless steel colour, lacqu.
 Dimensions of the product (HxWxD) : 845 x 600 x 600 mm
 Dimensions of the packed product (HxWxD) : 880 x 660 x 680 mm

Optional accessories

SGZ1010 : inlet and outlet hose extension

