

Whirlpool



9 kg

IronTouch
Steam Refresh
Mixed
Jeans
Rapid 30'
Extra Heat
Refresh


الماليس القطنية
Cotton
تجفيف القطن
Eco
اللبسة الاصطناعية
Synthetics
الصوف
Wool
الوسادة / الماليس الشتوية
Duvet
التجفيف الرياضي
Sport

وقت التجفيف
Timed Drying

6th series

8:11

Icons for various functions: Home, Lock, Alarm, Temperature, Humidity, Time, Play/Pause, Stop, Start, End, Error, etc.



	Products	7188384200
Basic Definitions	Marketing Code	WDH 092C 25 SBMJ
Basic Definitions	Platform (DR)	Sirius
Basic Definitions	Dryer Type	Heat-Pump
Basic Definitions	Commercial Company	ARCELIK AS
Basic Definitions	Brand	WHIRLPOOL
Basic Definitions	Country Group	Export
Basic Definitions	Drying Control Type	Sensor Controlled
Basic Definitions	Country	Jordan
Basic Definitions	SAP Code	7188384200
Basic Definitions	Production Plant	TR, IST, Dryer Plant
Basic Definitions	Installation Type (DR)	Free-standing
Basic Definitions	Brand Group	KOC Brand
Basic Definitions	EAN Category	HE
Basic Definitions	EAN Code	8690842799662
Basic Definitions	Country Classification	EU
Basic Definitions	Product Status	T2
Basic Definitions	NPI Project Definition (DR)	Prologue
Basic Definitions	Automatic Drying Process (EP)	True
Basic Definitions	Product Group	Heat Pump <Dryer>
Basic Definitions	Model Identifier for EPREL (EP)	Non EPREL
Basic Definitions	Voltage (v)	230-240
Basic Definitions	Frequency (Hz)	50
Basic Definitions	Plug Type	European
Basic Definitions	Old Material Number	7188242650
Basic Definitions	Connectivity	WiFi
Basic Definitions	Production Location	Turkey
Characteristics	Rapid mode (DR)	No
Characteristics	Compressor Type (DR)	Inverter
Characteristics	Dryguard (DR)	No
Characteristics	A-DRY	Yes
Characteristics	Energy Spin	No
Characteristics	Rat mash (DR)	No
Characteristics	Silent Dry (DR)	No
Characteristics	Silent Drum (DR)	No
Characteristics	Energy Tracking (Cleaning)	Yes
Characteristics	Fascia (DR)	PROLOGUE WH
Characteristics	User Interface (DR)	D7S
Characteristics	System Type (DR)	Perfection
Characteristics	Tank position	Up
Characteristics	Panel Printing	Symbol + Text
Characteristics	Panel Printing Language (DR)	Arabian , English
Characteristics	Cabinet (DR)	60
Characteristics	Capacity (kg) (DR) (EP)	9.0
Characteristics	Energy Regulation	New
Characteristics	Energy Efficiency Class (DR)	A+++ -25%
Characteristics	Condensation Efficiency Class (EP)	A
Characteristics	Drying Rack	No
Characteristics	Number of Programs (DR)	15
Characteristics	Front Door Type (DR)	Transparent -reversible-w cover
Characteristics	Handle Type (DR)	Standard
Characteristics	Current (A) (DR)	3.5
Characteristics	Drum pattern (DR)	Aquawave
Characteristics	Fuse (A) (DR)	10 amperes
Characteristics	Motor type (DR)	BLDC
Characteristics	Number of Adjustable Feet	4
Characteristics	Steam (DR)	Spray Steam
Characteristics	Woolmark	No
Characteristics	Drum Material (DR)	Stainless Steel
Characteristics	Paddle Type	Own brand
Characteristics	Self Cleaning	No
Characteristics	Fragrance	No
Characteristics	Filter Type (DR)	Standard
Characteristics	Energy efficiency class on energy label (EP)	A+++
Characteristics	AirTouch	No
Characteristics	UV Disinfection	No
Characteristics	Iron Finish (DR)	No
Characteristics	Save Water	No
Characteristics	Front Door Printing (DR)	No
Characteristics	Front Door Hinge (DR)	Right
Characteristics	VarioDry	No
Programs	Program Set	Set171
Programs	Program - 1 (DR)	Cottons
Programs	Program - 2 (DR)	Cotton Eco Dry
Programs	Program - 3 (DR)	Synthetics
Programs	Program - 4 (DR)	Wool
Programs	Program - 5 (DR)	Silent (Night)
Programs	Program - 6 (DR)	Duvel / Downwear
Programs	Program - 7 (DR)	Download Cycle
Programs	Program - 8 (DR)	Time programmes
Programs	Program - 9 (DR)	Hygienic Refresh
Programs	Program - 10 (DR)	Hygienic Drying
Programs	Program - 11 (DR)	Xpress Super Short
Programs	Program - 12 (DR)	Jeans
Programs	Program - 13 (DR)	Mix
Programs	Program - 14 (DR)	Steam Refresh

Programs	Program - 15 (DR)	Ready to Wear (Shirts)
Programs	Program - 16 (DR)	No
Programs	Auxiliary Function-1 (DR)	Adjustment of Dryness Level
Programs	Auxiliary Function-2	Drum Light
Programs	Auxiliary Function-3	No
Programs	Download Cycle_1 (DR)	BEDDING
Programs	Download Cycle_2 (DR)	Lingerie
Programs	Download Cycle_3 (DR)	Outdoor/Sports (Goretex)
Programs	Download Cycle_4 (DR)	Fashion
Programs	Download Cycle_5 (DR)	Towel
Programs	Special Case for Programs & Features (DR)	Spray Steam 2
Performance	VDE Code	M119H62F
Performance	Drum Volume (lt) (DR)	127
Performance	Annual Energy Consumption (EP)	148.1 kilowatt-hours
Performance	Energy Consumption at 1000 Rpm (DR)	9999.00 kilowatt-hours
Performance	Sound Power Level dB(A) (EP)	63 dBA
Performance	Average condensation efficiency of the standard cotton programme at full load Cdry (EP)	91
Performance	Average condensation efficiency of the standard cotton programme at half load Cdry(1/2) (EP)	91
Performance	Energy consumption of the standard cotton programme at full load (kWh) (EP)	1.22 kilowatt-hours
Performance	Energy consumption of the standard cotton programme at partial load (kWh) (EP)	0.66 kilowatt-hours
Performance	Power Consumption in "left-on mode" (P_l) (W) (EP)	1.00 watts [joules/second]
Performance	Power Consumption in "off-mode" (P_o) (W) (EP)	0.50 watts [joules/second]
Performance	Programme time of the standard cotton programme at full load Tdry (min) (EP)	270 minutes
Performance	Programme time of the standard cotton programme at partial load Tdry1/2 (min) (EP)	160 minutes
Performance	The duration of the left on mode (min) (EP)	30 minutes
Performance	Total Power (W)	600
Performance	Weighted condensation efficiency of the standard cotton programme at full load and partial load, Ct (EP)	91
Performance	Weighted programme time of the standard cotton programme at full and partial load Tt (min) (EP)	207 minutes
Performance	Gas Type (DR)	R290
Performance	Standard Number (DR)	EN 60335-2-11
Performance	The Amount of Gas (kg)	0.149 kilograms
Performance	Capacity (DR) (cu-ft)	4.48
Performance	Global Warming Potential (GWP)	0.000
Performance	Special Case for Energy (DR)	No
Functions & Features	Top Plate Type	Wood
Functions & Features	Side Wall Type (DR)	Box in Box Form (OF)
Functions & Features	Display Type (DR)	Digital Display
Functions & Features	Program Follower (DR)	Yes
Functions & Features	Child Lock (DR)	Yes
Functions & Features	Time Delay (DR)	0-24
Functions & Features	Remain Time Display	Yes
Functions & Features	Buzzer (DR)	Yes
Functions & Features	Buzzer Cancel/Activate	Yes
Functions & Features	Drum Light	DC LED
Functions & Features	Water Tank Full Indicator	Yes
Functions & Features	Condenser Cleaning Indicator (LED)	Yes
Functions & Features	Filter Cleaning Indicator	Yes
Functions & Features	Direct Drain	Yes
Functions & Features	Built Under Kit	No
Functions & Features	Front Door Opening Angle (DR)	155
Functions & Features	Accessories	Stacking Kit (spare part)
Functions & Features	Auto Program	No
Functions & Features	Cable Length (DR)	Standard 1,5m
Functions & Features	Child Lock Indicator	Yes
Functions & Features	Time Delay Indicator (led)	Yes
Functions & Features	Reverse Drum Action	Yes
Functions & Features	Adjustable Program End Sound	No
Functions & Features	Auto-anticreasing	Yes
Functions & Features	LCD Brightness Adjustment	No
Functions & Features	Soft on-off	Yes
Functions & Features	Touch Button	Yes
Functions & Features	Service Button (Destek Servis)	No
Design & Color specifications	Product Color (DR)	Silver
Design & Color specifications	Standart Colors (DR)	Standard
Design & Color specifications	Front Panel Body Color (DR)	Piano Black
Design & Color specifications	Front Drawer Handle Color (DR)	Piano Black
Design & Color specifications	Front Drawer Handle Decorative Part Color (DR)	Silver
Design & Color specifications	Program Knob Type (DR)	Prologue TR
Design & Color specifications	Program Knob Color (DR)	Piano Black
Design & Color specifications	Program Knob Ring Color (DR)	Silver
Design & Color specifications	Program Knob Front Cover (DR)	Piano Black
Design & Color specifications	Front Door Ring Color (DR)	Silver
Design & Color specifications	Front Door Color (DR)	Piano Black
Design & Color specifications	Front Door Inlay Color (DR)	Black
Design & Color specifications	Front Door Inner Part Color (DR)	Black
Design & Color specifications	Door Handle Color (DR)	Piano Black
Design & Color specifications	Screen Frame/Inlay Color (DR)	Black Skin
Design & Color specifications	LED/Icon Color (DR)	White-NA
Design & Color specifications	Top Plate Hardboard Color (DR)	Titan Grey
Approval & Certificate Information	Requested Standards	JISM; CE; VDE
Packaging & Dimensions	Bottom Straphor Type (DR)	Slim
Packaging & Dimensions	Countertop Depth (cm)	58.6 centimeters
Packaging & Dimensions	Packaging Type	Carton + Shrink
Packaging & Dimensions	Depth - Packed (cm)(z)	70.0 centimeters
Packaging & Dimensions	Width - Packed (cm)(x)	66.0 centimeters
Packaging & Dimensions	Height - Packed (cm)(y)	89.5 centimeters
Packaging & Dimensions	Weight - Packed (kg)	49.500 kilograms

Packaging & Dimensions	Depth - Unpacked (cm)(z)	67.4 centimeters
Packaging & Dimensions	Width - Unpacked (cm)(x)	59.8 centimeters
Packaging & Dimensions	Height - Unpacked (cm)(y)	84.6 centimeters
Packaging & Dimensions	Weight - Unpacked (kg)	46.000 kilograms