

Serie | 4, condenser tumble dryer, 8 kg
WTN8543SME



Optional accessories

WMZ20540G : Platform with pull-out

WTZ2041X : Stacking rack

Our condensation dryer. Crease-resistant and especially gentle to your laundry. Surprisingly quiet at the same time.

B

- **AutoDry:** gently dries laundry to precisely the degree of dryness you want.
- **AntiVibration Design:** extremely stable and especially quiet thanks to special vibration protection.
- **Fast drying:** dries your laundry considerably faster than before.
- **SensitiveDrying System:** gentledrying without wrinkling thanks to its unique drum design and movements.
- **AllergyPlus:** specially developed for the needs of allergy sufferers and sensitive skin.
- **Sportswear:** ideal for gentle drying of textiles such as microfibre, synthetics or functional fibres.
- **Anti-crease:** laundry is automatically loosened once program finished and does not crease.
- **Wool basket:** very gentle drying suitable for wool. Additionally can also be used for sport shoes.
- Dry 5 Men's Dress Shirts in just 15 Minutes.
- Wrinkle Block Program Reduces Creasing or Wrinkle Build Up
- **ComfortDisplay:** easy orientation and usability thanks to a big display.
- **Noise Level:** dries pleasantly quiet.
- Anti-Vibration Side Panels reduce vibrations and ensure greater stability during the washing and spinning process.
- **Display for time remaining:** you always know when your laundry will be dry.
- **Interior Drum Light:** complete oversight thanks to the illuminated drum.
- Anti-Vibration Side Panels reduce vibrations and ensure greater stability during the washing and spinning process
- Duo-Tronic Sensors mengontrol tingkat kelembaban dan suhu untuk mencapai tingkat kekeringan dan menghindari tingkat kepanasan berlebih

Technical Data

| | |
|---|---------------------|
| Built-in / Free-standing : | Free-standing |
| Removable top : | No |
| Door hinge : | Right |
| Color / Material body : | silver inox |
| Length electrical supply cord (cm) : | 145.0 |
| Height of removable worktop (mm) : | 842 |
| Dimensions of the product (mm) : | 842 x 598 x 599 |
| Net weight (kg) : | 41.993 |
| Drum volume (l) : | 112 |
| Connection Rating (W) : | 2600 |
| Current (A) : | 13/10 |
| Voltage (V) : | 220-240 |
| Frequency (Hz) : | 50 |
| Approval certificates : | CE, Eurasian, VDE |
| Drying process : | automatic |
| Capacity cotton (kg) - NEW (2010/30/EC) : | 8.0 |
| Standard cotton programme : | Cotton cupboard dry |
| Energy efficiency class (2010/30/EC) : | B |
| Energy consumption electric dryer, full load - NEW (2010/30/EC) (kWh) : | 4.63 |
| Standard cotton programme time at full load (min) : | 137 |
| Energy consumption electric dryer, partial load - NEW (2010/30/EC) (kWh) : | 2.61 |
| Standard cotton programme time at partial load (min) : | 79 |
| Weighted annual energy consumption, electric dryer - NEW (2010/30/EC) (kWh) : | 560.0 |
| Power consumption in off-mode (W) - NEW (2010/30/EC) : | 0.10 |
| Power consumption in left-on mode (W) - NEW (2010/30/EC) : | 0.50 |
| Weighted programme time (min) : | 104 |
| Condensation efficiency class - NEW (2010/30/EC) : | 1/3 |
| Average condensation efficiency full load (%) : | 88 |

Serie | 4, condenser tumble dryer, 8 kg WTN8543SME

Our condensation dryer. Crease-resistant and especially gentle to your laundry. Surprisingly quiet at the same time.

engine power and consumption

- Capacity: 8 kg
- Dryer type: Condenser
- Energy Efficiency Class: B at a range of energy efficiency classes from A+++ to D
- Energy consumption 560 kWh per year, based on 160 drying cycles of the standard cotton programme at full and partial load, and the consumption of the low-power modes. Actual energy consumption per cycle will depend on how the appliance is used
- Energy consumption of the standard cotton programme at full load 4.63 kWh and energy consumption of the standard cotton programme at half load 2.61 kWh
- power consumption in off-mode 0.1 W and in left-on mode 0.5 W
- The programme Cotton cupboard dry used at full and partial load is the standard drying programme to which the information in the label and the fiche relates, this programme is suitable for drying normal wet cotton laundry and is the most efficient programme in terms of energy consumption for cotton.
- Weighted programme time of the standard cotton programme at full and partial load: 104 min.
- Programme time of the standard cotton programme at full load 137 min and programme time of the standard cotton programme at partial load 79 min.
- Condensation efficiency class B on a scale from G (least efficient) to A (most efficient).<
- Average condensation efficiency of the standard cotton programme at full load 88 % and average condensation efficiency of the standard cotton programme at partial load 88 %.
- Weighted condensation efficiency for the standard cotton programme at full and partial load: 88 %.
- Noise level: 64 dB (A) re 1 pW

Programmes

- Special programmes: allergy plus, Down wear, Delicates, Mixed Load, shirts 15, Super Quick 40 minutes program, Sportswear, wool drying in basket, Timed Program Warm

options

- Anti crease cycle 120 min at the end of the programme
- Touch control buttons: end time delay, less ironing, programme length, Low Heat, Start / Reload / Pause, Fine-tuning of drying aim, 24 h end time delay


comfort and safety

- AutoDry technology
- Fully electronic control dial for sensor drying programmes, timed and special programmes
- LED-Display for remaining time and 24 h end time delay, programme status indication, special functions
- Sensitive Drying System: Big Galvanised drum with textile care structure, soft design paddles
- Wool drying basket
- AntiVibration Design: more stability and quietness
- Drum interior light: LED
- Child-proof lock
- Buzzer to indicate the end of cycle
- Glass door with frame silver-black grey
- comfort lock
- Door hinge: right-hand
- Metal door closing hook

Technical Information

- Dimensions (H x W x D): 84.2 cm x 59.8 cm x 59.9 cm
- Slide-under height of 85cm

**Serie | 4, condenser tumble dryer, 8 kg
WTN8543SME**



measurements in mm

